

Pharmaceutical Management Agency

Update

# New Zealand Pharmaceutical Schedule

Effective 1 July 2014

Cumulative for May, June and July 2014



## Contents

Summary of PHARMAC decisions effective 1 July 2014 .....	3
Somatropin (growth hormone) .....	7
Imatinib – Sole Supply from 1 July 2014 .....	8
Amoxicillin oral liquid – 10 day expiry after reconstituting .....	8
Pinorax discontinuation.....	8
Changes to various presentations and chemicals .....	8
Norfloxacin – restriction .....	9
Dexamphetamine – alternative brand listed .....	9
Ketoconazole – restrictions added.....	9
Diazoxide (Proglycem) – new listing of oral liquid .....	9
Rule changes to reflect the Medicines Amendment Act 2013 .....	10
Olanzapine, quetiapine and risperidone price reductions and Sole Supply. ....	10
Addition of subsidy restriction to mianserin (Tolvon) .....	10
Vaccine changes.....	11
Fortisip powder – amended presentation.....	11
Zostrix (capsaicin) crm 0.025% – listing of alternative pack size.....	11
News in brief.....	11
Tender News.....	12
Looking Forward .....	12
Sole Subsidised Supply Products cumulative to July 2014.....	13
New Listings.....	22
Changes to Restrictions, Chemical Names and Presentations .....	29
Changes to Subsidy and Manufacturer’s Price.....	37
Changes to General Rules.....	42
Changes to Section I .....	46
Delisted Items .....	52
Items to be Delisted .....	55
Index.....	58

---

## Summary of PHARMAC decisions

EFFECTIVE 1 JULY 2014

### **New listings (page 22-26)**

- Diazoxide (Proglycem) oral liq 50 mg per ml, 30 ml OP – Special Authority – Retail Pharmacy – s29
- Octocog alfa (recombinant factor VIII) (Kogenate FS) inj 250 iu vial – Xpharm – new Pharmacode
- Nifedipine (Adefin XL) tab long-acting 60 mg – new Pharmacode
- Somatropin (Omnitrope) inj 5 mg, 10 mg and 15 mg cartridges – Special Authority – Retail Pharmacy – No patient co-payment payable
- Amoxicillin (Amoxicillin Actavis) grans for oral liq 125 mg per 5 ml and 250 mg per 5 ml, 100 ml
- Capsaicin (Zostrix) crm 0.025%, 25 g OP – Special Authority – Retail Pharmacy
- Pamidronate disodium (Pamisol) inj 3 mg per ml, 6 mg per ml and 9 mg per ml, 10 ml vials
- Oxycodone hydrochloride (BNM) tab controlled-release 80 mg – only on a controlled drug form – no patient co-payment payable
- Dexamphetamine sulphate (PSM s29) tab 5 mg – Special Authority – Retail Pharmacy – s29 – only on a controlled drug form
- Capecitabine (Capecitabine Winthrop) tab 150 mg and 500 mg – Retail Pharmacy – Specialist
- Octreotide (DBL) inj 50 mcg per ml, 100 mcg per ml and 500 mcg per ml, 1 ml vials
- Pharmacy Services (BSF Arrow-Fluoxetine) brand switch fee
- Pharmacy Services (BSF Imatinib-AFT) brand switch fee
- Oral feed (powder) (Fortisip) powder (vanilla) 350 g OP – Special Authority – Hospital pharmacy [HP3]
- Losartan potassium with hydrochlorothiazide (Hyzaar) tab 50 mg with hydrochlorothiazide 12.5 mg – listing from 12 June 2014

### **Changes to restrictions, chemical names and presentation (page 29-34)**

- Ranitidine – amendment to chemical name
- Diazoxide – removal of oral liquid standard formula
- Iron polymaltose inj 50 mg per ml, 2 ml ampoule – amendment to presentation description
- Salicylic acid (PSM) powder – removal of maximum per prescription
- Testosterone cypionate inj 100 mg per ml, 10 ml vial – amendment to presentation description
- Somatropin (Genotropin) inj cartridge 16 iu (5.3 mg) and 36 iu (12 mg) – Special Authority amendment

## Summary of PHARMAC decisions – effective 1 July 2014 (continued)

- Desmopressin acetate – amendment to chemical name
  - Cefazolin inj 500 mg and 1 g vials – amendment to chemical name and presentation description
  - Amoxicillin – amendment to chemical name
  - Benzylpenicillin sodium (Penicillin G) inj 600 mg (1 million units) vial – amendment to presentation description
  - Flucloxacillin inj 250 mg, 500 mg and 1 g vials – amendment to chemical name, presentation description and increase to PSO quantity on inj 1 g vial
  - Procaine penicillin inj 1.5 g in 3.4 ml syringe – amendment to presentation description
  - Doxycycline – amendment to chemical name
  - Ketoconazole (Nizoral) tab 200 mg – addition of PCT – Retail pharmacy – Specialist and amendment to prescribing restriction
  - Norfloxacin (Arrow-Norfloxacin) tab 400 mg – amendment to endorsement – removal of maximum 6 tab per prescription
  - Pamidronate disodium inj 3 mg per ml, 6 mg per ml and 9 mg per ml, 10 ml vials and inj 3 ml per ml, 5 ml vial – amendment to presentation description
  - Lidocaine [lignocaine] hydrochloride oral (viscous) soln 2% – amendment to presentation description
  - Fentanyl patch 12.5 mcg, 25 mcg, 50 mcg, 75 mcg and 100 mcg per hour – amendment to presentation description.
  - Mianserin hydrochloride (Tolvon) tab 30 mg – addition of subsidy by endorsement
  - Fluoxetine hydrochloride (Arrow-Fluoxetine) tab dispersible 20 mg , scored and cap 20 mg – Brand switch fee payable
  - Metoclopramide hydrochloride inj 5 mg per ml, 2 ml ampoule – amendment to presentation description
  - Olanzapine (Zyprexa Zydis) – tab orodispersible 5 mg and 10 mg – amendment to presentation description
  - Buspirone hydrochloride tab 5 mg and 10 mg – addition of stat dispensing
  - Imatinib mesilate (Imatinib-AFT) cap 100 mg – Brand switch fee payable
  - Imatinib mesilate (Glivec) tab 100 mg – amendment to Special Authority
  - Octreotide inj 50 mcg per ml, 100 mcg per ml, 500 mcg per ml, 1 ml vials – amendment to chemical name
  - Etanercept (Enbrel) inj 25 mg, 50 mg autoinjector and 50 mg prefilled syringe – amendment to Special Authority
  - Adalimumab (Humira and HumiraPen) inj 20 mg per 0.4 ml prefilled syringe, and 40 mg per 0.8 ml prefilled pen and syringe – amendment to Special Authority
-

## Summary of PHARMAC decisions – effective 1 July 2014 (continued)

- Ciclosporin (Neoral) cap 25 mg, 50 mg, and 100 mg, and oral liq 100 mg per ml – amendment to chemical name
- Dexamethasone with neomycin sulphate and polymyxin B sulphate (Maxitrol) eye oint and eye drops – amendment to chemical name
- Diclofenac sodium (Voltaren Ophtha) eye drops 0.1% – amendment to presentation description
- Lodoxamide (Lomide) eye drops 0.1% – amendment to chemical name
- Betaxolol (Betoptic S and Betoptic) eye drops 0.25% and 0.5% – amendment to chemical name
- Timolol (Arrow-Timolol) eye drops 0.25% and 0.5% – amendment to chemical name
- Pilocarpine hydrochloride (Isopto Carpine) eye drops 1%, 2% and 4% – amendment to chemical name

### Decreased subsidy (page 37-41)

- Clarithromycin (Apo-Clarithromycin) tab 500 mg
  - Ranitidine (Peptisoothe) oral liq 150 mg per 10 ml
  - Ursodeoxycholic acid (Ursosan) cap 250 mg
  - Calcium carbonate (Arrow-Calcium) tab 1.25 g (500 mg elemental)
  - Iron polymaltose (Ferrum H) inj 50 mg per ml, 2 ml ampoule
  - Doxazosin (Apo-Doxazosin) tab 2 mg and 4 mg
  - Losartan potassium with hydrochlorothiazide (Arrow-Losartan & Hydrochlorothiazide) tab 50 mg with hydrochlorothiazide 12.5 mg
  - Nifedipine (Adefin XL) tab long-acting 30 mg and 60 mg
  - Bendroflumethiazide [bendrofluazide] (Arrow-Bendrofluazide) tab 2.5 mg and 5 mg
  - Simvastatin (Arrow-Simva) tab 10 mg, 20 mg, 40 mg and 80 mg
  - Glyceryl trinitrate (Nitroderm TTS) patch 25 mg, 5 mg per day and 50 mg, 10 mg per day
  - Clotrimazole (Clomazol) crm 1%
  - Permethrin (A-Scabies) lotn 5%
  - Desmopressin acetate (Desmopressin-PH&T) nasal spray 10 mcg per dose
  - Cefazolin (AFT) inj 1 g vial
  - Clarithromycin (Apo-Clarithromycin) tab 250 mg
  - Amoxicillin (Alphamox) cap 500 mg
  - Benzylpenicillin sodium (penicillin G) (Sandoz) inj 600 mg (1 million units) vial
  - Flucloxacillin (Flucloxin) inj 250 mg, 500 mg and 1 g
  - Doxycycline (Doxine) tab 100 mg
-

## Summary of PHARMAC decisions – effective 1 July 2014 (continued)

- Ciprofloxacin (Cipflox) tab 250 mg, 500 mg and 750 mg
- Terbinafine (Dr Reddy's Terbinafine) tab 250 mg
- Zidovudine [AZT] with lamivudine (Alphapharm) tab 300 mg with lamivudine 150 mg
- Norfloxacin (Arrow-Norfloxacin) tab 400 mg
- Neostigmine metilsulfate (AstraZeneca) inj 2.5 mg per ml, 1 ml ampoule
- Alendronate sodium (Fosamax) tab 70 mg
- Alendronate sodium with cholecalciferol (Fosamax Plus) tab 70 mg with cholecalciferol 5,600 iu
- Paracetamol (Paracare Double Strength) oral liq 250 mg per 5 ml
- Amitriptyline (Arrow Amitriptyline) tab 10 mg
- Rizatriptan (Rizamelt) tab orodispersible 10 mg
- Aprepitant (Emend Tri-Pack) cap 2 x 80 mg and 1 x 125 mg
- Metoclopramide hydrochloride (Metamide) tab 10 mg
- Olanzapine (Zypine) tab 2.5 mg, 5 mg and 10 mg
- Olanzapine (Zypine ODT) tab orodispersible 5 mg and 10 mg
- Quetiapine (Quetapel) tab 25 mg, 100 mg, 200 mg and 300 mg
- Risperidone (Risperon) oral liq 1 mg per ml
- Interferon beta-1-alpha (Avonex) inj 6 million iu prefilled syringe and vial
- Interferon beta-1-alpha (Avonex Pen) 6 million iu per 0.5 ml pen injector
- Nicotine (Habitrol) patch 7 mg, 14 mg and 21 mg; lozenge 1 mg and 2 mg; gum 2 mg and 4 mg (classic, fruit and mint)
- Paclitaxel (Paclitaxel Ebewe) inj 30 mg, 100 mg, 150 mg, 300 mg, 600 mg
- Paclitaxel (Baxter) inj 1 mg for ECP
- Bicalutamide (Bicalaccord) tab 50 mg
- Exemestane (Aromasin) tab 25 mg
- Mycophenolate mofetil (Cellcept) powder for oral liq 1 g per 5 ml
- Timolol (Arrow-Timolol) eye drops 0.25% and 0.5%
- Brimonidine tartrate (Arrow-Brimonidine) eye drops 0.2%

## Somatropin (growth hormone)

PHARMAC's Board recently decided on changes to the funded supply, distribution and prescribing of somatropin (growth hormone). The key changes you need to know are:

- There will be a change in brand of funded somatropin – from the Genotropin brand to the Omnitrope brand.
- Omnitrope will be listed fully funded from 1 July 2014, and Genotropin will be delisted from 31 December 2014.
- There will be a six month transition period when both brands are funded from 1 July 2014 to 31 December 2014.
- Currently somatropin is not dispensed via community pharmacy. It is sent directly to an address chosen by the patient (approximately 80% of patients have nominated a pharmacy as that location). From 1 July 2014, patients will be able to take their prescription to a pharmacy to get their somatropin dispensed (Omnitrope brand only).
- There will be no patient co-payment required for all pharmacy dispensings of the Omnitrope brand of somatropin from 1 July 2014 to 31 December 2014.
- PHARMAC has written to all current patients, and their pertinent clinicians about the change to let them know what is happening and when. Patients have been provided with specific patient information about the changes. This information is also available on the PHARMAC website at: <http://www.pharmac.health.nz/assets/notification-2014-05-16-somatropin-patient-info.pdf>
- All patients will be visited by a product specialist from the new supplier, Sandoz (a Novartis company), who will provide education and support to use the new injection pen.
- A Brand Switch Fee is payable on dispensings of somatropin from 1 January 2015 to 31 March 2015 to acknowledge some patients may need extra support in transitioning to the new brand and distribution arrangements.

**If you have any further questions about this, please feel free to contact PHARMAC on 0800 66 00 50.**



## **Imatinib – Sole Supply from 1 July 2014**

Sole supply for the Imatinib-AFT brand of imatinib 100 mg capsules (for non-GIST patients) will commence from 1 July 2014. Some patients will remain on the Glivec brand, but they will receive this via current direct distribution arrangement. The Glivec brand of imatinib will not be subsidised when dispensed via community pharmacy from 1 July.

There will be no patient co-payment payable for imatinib (Imatinib-AFT) dispensed from a community pharmacy for at least the duration of 2014.

A Brand Switch Fee will apply to dispensings of Imatinib-AFT from 1 July 2014 to 30 September 2014.

---

## **Amoxicillin oral liquid – 10 day expiry after reconstituting**

The Amoxicillin Actavis brand of amoxicillin granules for oral liquid 125 mg per 5 ml and 250 mg per 5 ml will be listed from 1 July 2014. However stock will not be available until the second week in July. This product was previously notified to as Arrow-Amoxicillin. Please note that the water required to reconstitute Amoxicillin Actavis differs from the currently funded brand. The expiry date of the reconstituted suspension is 10 days for both strengths.

There will be a subsidy reduction for the Ospamox brand from 1 October 2014 and sole supply of the Amoxicillin Actavis brand commences 1 January 2015. Please note these transition dates as they differ from the usual Tender time frames.

---

## **Pinorax discontinuation**

Pinorax and Pinorax Forte (danthron with poloxamer) oral liquid will be delisted from 1 January 2015 as the supplier has discontinued the product. We have not been able to secure an alternative brand of this medicine. Macrogol and docusate with senna could be considered as suitable funded alternatives.

---

## **Changes to various presentations and chemicals**

Please note that from 1 July 2014, the chemical name and/or presentation descriptions of a number of medicines will be amended. These changes are to align the community and hospital Schedules and do not reflect any changes to the products listed.



## Norfloxacin – restriction

From 1 July 2014, norfloxacin 400 mg tablets will be subsidised only by endorsement for uncomplicated urinary tract infections that are unresponsive to a first line agent or with proven resistance to first line agents. The current maximum of 6 tablets per prescription will no longer apply.

---

## Dexamphetamine – alternative brand listed

Due to a potential supply issue with approved PSM brand dexamphetamine 5 mg tablet, an unapproved brand, PSM S29 will be listed temporarily from 1 July 2014. PSM S29 must be prescribed and supplied in accordance with sections 25, 26 and 29, as applicable, of the Medicines Act 1981.

---

## Ketoconazole – restrictions added

From 1 July 2014, subsidy of ketoconazole (Nizoral) 200 mg tablets will be restricted to prescriptions written by, or on the recommendation of, an oncologist. A PCT-Retail Pharmacy Specialist restriction will also apply. Nizoral is being discontinued by the supplier, so stock is expected to be difficult to obtain.

---

## Diazoxide (Proglycem) – new listing of oral liquid

Proglycem (diazoxide) oral liquid 50 mg per ml, 30 ml OP will be listed from 1 July 2014 and will be supplied under section 29 of the Medicines Act 1981. The extemporaneously compounded diazoxide oral liquid 10 mg per ml will not be subsidised from 1 July 2014.

Given the difference between the strengths of the two products, (proprietary vs compounded) and the potential risk of a fivefold overdose between the extemporaneous product and the proprietary product, extra care will be needed with prescriptions and dispensing, to ensure that the strength of the medicine and the milligram dosing is clearly prescribed and dispensed.

It will be important to make sure patients and/or parents or caregivers have appropriate education when this product is dispensed so that any risks are mitigated.

Clinicians should be aware that pharmacy may not stock product on its shelf and to advise their patients accordingly.

## **Rule changes to reflect the Medicines Amendment Act 2013**

The definitions of Nurse Prescriber and Optometrist will change in the PHARMAC Schedule from 1 July 2014 to reflect changes included in the Medicines Amendment Act 2013. These practitioners will become authorised prescribers under the Medicines Act 1981 and will be permitted to prescribe any medicine within their scope of practice. Currently, these prescribers are limited to a defined list of prescription medicines.

---

## **Olanzapine, quetiapine and risperidone price reductions and Sole Supply**

The price and subsidy for the following brands of antipsychotics will reduce from 1 July 2014:

- The Zypine brand of olanzapine 2.5 mg, 5 mg and 10 mg tablets
- The Zypine ODT brand of olanzapine 5 mg and 10 mg orodispersible tablets
- The Quetapel brand of quetiapine 25 mg, 100 mg, 200 mg and 300 mg tablets
- The Risperon brand of risperidone oral liquid 1 mg per ml.

There will be a subsidy reduction for all other listed brands of these medicines from 1 September 2014, with delisting of all other brands on 1 December 2014.

Sole Supply will commence on 1 December 2014 and Brand Switch Fees will apply to dispensings of the Sole Supply brands from 1 December 2014 to 28 February 2015. Patient information leaflets to support the change will be available to order on PHARMAC'S website for download, printed copies will be available from pharmaonline.

---

## **Addition of subsidy restriction to mianserin (Tolvon)**

From 1 July 2014, the subsidy for mianserin (Tolvon) 30 mg tablets will be restricted by prescription endorsement to patients who were taking mianserin prior to 1 July 2014. The supplier is discontinuing Tolvon later in the year and PHARMAC has been unable to source an alternative brand or supplier. The requirement for subsidy by endorsement is intended to prevent new patients starting on mianserin and thus being impacted by the discontinuation. We encourage clinicians to consider switching any existing patients to another treatment as soon as practicable.

## Vaccine changes

A number of additions and amendments to the Immunisation Schedule will occur 1 July 2014. Please note that these vaccines are “Xpharm” meaning that pharmacies cannot claim subsidy because there is an alternative distribution arrangement.

---

## Fortisip powder – amended presentation

A new presentation of Fortisip powder will be listed from 1 July 2014. The new product has a modified composition and comes in a smaller pack size of 350 g. The current presentation of Fortisip powder will be delisted from 1 January 2015.

---

## Zostrix (capsaicin) crm 0.025% – listing of alternative pack size

Due to a potential supply issue for Zostrix (capsaicin) 0.025% cream, a 25 g OP pack will be temporarily listed from 1 July 2014.

---

## News in brief

- A Brand Switch Fee will apply to dispensings of **Arrow-Fluoxetine** from 1 July to 30 September 2014.
- **Oxycodone** Controlled Release Tablets – the 80 mg strength – will be listed from 1 July 2014 to replace the Oxydone BNM brand. It will be listed in the Pharmaceutical Schedule as “BNM” brand.
- Stat dispensing will apply to dispensing of **bupirone hydrochloride** tab 5 mg and 10 mg from 1 July 2014.
- The maximum quantity of **flucloxacillin** 1 g injections that can be ordered on a PSO will increase from 5 to 10 vials from 1 July 2014.
- Betnovate C (**betamethasone valerate with clioquinol**) ointment will be delisted on 1 January 2015 due to supplier discontinuation.
- A new Pharmacode for the Adefin XL brand of **nifedipine** tab long-acting 60 mg will be listed from 1 July 2014. The old Pharmacode will be delisted from 1 January 2015.

## Tender News

Sole Subsidised Supply changes – effective 1 August 2014

Chemical Name	Presentation; Pack size	Sole Subsidised Supply brand (and supplier)
Atropine sulphate	Eye drops 1%; 15 ml OP	Atropt (Aspen Pharma)
Clonidine	Patch 2.5 mg, 100 mcg per day; 4 patch	Catapres-TTS-1 (Boehringer)
Clonidine	Patch 5 mg, 200 mcg per day; 4 patch	Catapres-TTS-2 (Boehringer)
Clonidine	Patch 7.5 mg, 300 mcg per day; 4 patch	Catapres-TTS-3 (Boehringer)
Loperamide hydrochloride	Cap 2 mg; 400 cap	Diamide Relief (Mylan)
Pantoprazole	Tab EC 20 mg; 100 tab Tab EC 40 mg; 100 tab	Pantoprazole Actavis 20 (Actavis) Pantoprazole Actavis 40 (Actavis)
Paraffin liquid with wool fat	Eye oint 3% with wool fat 3%; 3.5 g OP	Poly-Visc (Alcon)

## Looking Forward

*This section is designed to alert both pharmacists and prescribers to possible future changes to the Pharmaceutical Schedule. It may also assist pharmacists, distributors and wholesalers to manage stock levels.*

### Possible decisions for future implementation 1 August 2014

- Diclofenac sodium (Voltaren D) tab 50 mg dispersible – addition of higher subsidy with endorsement
- Flecainide acetate tab 50 mg (Tambocor), cap long-acting 100 mg and 200 mg (Tambocor CR) and inj 10 mg per ml, 15 ml ampoule (Tambocor) – subsidy decrease
- Non-steroidal anti-inflammatory drugs – removal of Special Authority for Manufacturers Price
- Pipothiazine palmitate (Piportil) inj 50 mg per ml, 1 ml and 2 ml ampoule – addition of subsidy by endorsement
- Sulindac (Aclin) tab 100 mg and 200 mg – subsidy increase
- Tacrolimus (Prograf) cap 0.5 mg, 1 mg, 5 mg – addition of Wastage rule until 31 October 2014
- Venlafaxine (Efexor XR) cap 37.5 mg, 75 mg and 150 mg – subsidy and price decrease

## Sole Subsidised Supply Products – cumulative to July 2014

Generic Name	Presentation	Brand Name	Expiry Date*
Acarbose	Tab 50 mg and 100 mg	Accarb	2015
Acetylcysteine	Inj 200 mg per ml, 10 ml	Martindale Acetylcysteine	2015
Aciclovir	Tab dispersible 200 mg, 400 mg & 800 mg	Lovir	2016
<b>Adult diphtheria and tetanus</b>	<b>Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid in 0.5 ml</b>	<b>ADT Booster</b>	<b>2017</b>
Alprazolam	Tab 250 mcg, 500 mcg & 1 mg	Xanax	2016
Amiodarone hydrochloride	Inj 50 mg per ml, 3 ml ampoule	Cordarone-X	2016
Amisulpride	Oral liq 100 mg per ml Tab 100 mg, 200 mg & 400 mg	Solian	2016
Amoxicillin	Cap 250 mg	Apo-Amoxi	2016
Amoxicillin clavulanate	Grans for oral liq amoxicillin 125 mg with potassium clavulanate 31.25 mg per 5 ml Grans for oral liq amoxicillin 250 mg with potassium clavulanate 62.5 mg per 5 ml	Augmentin  Augmentin	2015
Ascorbic acid	Tab 100 mg	Cvite	2016
Aspirin	Tab 100 mg Tab dispersible 300 mg	Ethics Aspirin EC Ethics Aspirin	2016
Atenolol	Tab 50 mg & 100 mg	Mylan Atenolol	2015
Atorvastatin	Tab 10 mg, 20 mg, 40 mg & 80 mg	Zarator	2015
Atropine sulphate	Inj 600 mcg, 1 ml	AstraZeneca	2015
Azithromycin	Tab 500 mg	Apo-Azithromycin	2015
Baclofen	Tab 10 mg	Pacifen	2016
Benzathine benzylpenicillin	Inj 1.2 mega u per 2.3 ml	Bicillin LA	2015
<b>Betahistine dihydrochloride</b>	<b>Tab 16 mg</b>	<b>Vergo 16</b>	<b>2017</b>
Bezafibrate	Tab 200 mg Tab long-acting 400 mg	Bezalip Bezalip Retard	2015
Blood glucose diagnostic test meter	Meter with 50 lancets, a lancing device and 10 diagnostic test strips	CareSens N CareSens N POP CareSens II	2015
Blood glucose diagnostic test strip	Blood glucose test strips	CareSens CareSens N	2015
Boceprevir	Cap 200 mg	Victrelis	2016
Bupropion hydrochloride	Tab modified-release 150 mg	Zyban	2016
Cabergoline	Tab 0.5 mg	Dostinex	2015
Calamine	Lotn, BP	PSM	2015
Candesartan	Tab 4 mg, 8 mg, 16 mg & 32 mg	Candestar	2015

\*Expiry date of the Sole Subsidised Supply period is 30 June of the year indicated unless otherwise stated. Please note that Sole Subsidised Supply may have been awarded for a wider scope than just those presentation(s) listed in the above table.

## Sole Subsidised Supply Products – cumulative to July 2014

Generic Name	Presentation	Brand Name	Expiry Date*
Carbomer	Ophthalmic gel 0.3%, 0.5 g	Poly-Gel	2016
Cefaclor monohydrate	Cap 250 mg Grans for oral liq 125 mg per 5 ml	Ranbaxy-Cefaclor	2016
Cefalexin monohydrate	Cap 500 mg Grans for oral liq 125 mg per 5 ml & 250 mg per 5 ml	Cephalexin ABM Cefalexin Sandoz	2016 2015
Ceftriaxone	Inj 500 mg & 1 g vial	Ceftriazone-AFT	2016
Chloramphenicol	Eye oint 1% Eye drops 0.5%	Chlorsig Chlorafast	2015
Chlorhexidine gluconate	Mouthwash 0.2% Handrub 1% with ethanol 70%	healthE healthE	2015
Ciclopirox olamine	Nail-soln 8%	Apo-Ciclopirox	2015
Ciclosporin	Oral liq 100 mg per ml	Neoral	2015
Cilazapril	Tab 0.5 mg, 2.5 mg & 5 mg	Zapril	2016
Cilazapril with hydrochlorothiazide	Tab 5 mg with hydrochlorothiazide 12.5 mg	Apo-Cilazapril/ Hydrochlorothiazide	2016
Clindamycin	Cap hydrochloride 150 mg Inj phosphate 150 mg per ml, 4 ml	Clindamycin ABM Dalacin C	2016
Clomiphene citrate	Tab 50 mg	Serophene	2016
Clomipramine hydrochloride	Tab 10 mg & 25 mg	Apo-Clomipramine	2015
Clonidine hydrochloride	Tab 25 mcg Tab 150 mcg Inj 150 mcg per ml, 1 ml	Clonidine BNM Catapres	2015
Clopidogrel	Tab 75 mg	Arrow - Clopid	2016
Clotrimazole	Vaginal crm 1% with applicators Vaginal crm 2% with applicators	Clomazol	2016
Coal tar	Soln	Midwest	2016
Codeine phosphate	Tab 15 mg, 30 mg & 60 mg	PSM	2016
Colchicine	Tab 500 mcg	Colgout	2016
Compound electrolytes	Powder for oral soln	Enerlyte	2016
Crotamiton	Crm 10%	Itch-Soothe	2015
Cyclizine hydrochloride	Tab 50 mg	Nausicalm	2015
Cyproterone acetate	Tab 50 mg & 100 mg	Siterone	2015
Dexamethasone	Tab 1 mg & 4 mg	Douglas	2015
<b>Dexamethasone phosphate</b>	<b>Inj 4 mg per ml, 1 ml &amp; 2 ml ampoule</b>	<b>Dexamethasone-hameln</b>	<b>2016</b>
Dexamphetamine sulphate	Tab 5 mg	PSM	2015
Dextrose with electrolytes	Soln with electrolytes; 1,000 ml OP	Pedialyte-Bubblegum	2016

\*Expiry date of the Sole Subsidised Supply period is 30 June of the year indicated unless otherwise stated. Please note that Sole Subsidised Supply may have been awarded for a wider scope than just those presentation(s) listed in the above table.

## Sole Subsidised Supply Products – cumulative to July 2014

Generic Name	Presentation	Brand Name	Expiry Date*
Diclofenac sodium	Tab EC 25 mg & 50 mg Tab long-acting 75 mg & 100 mg	Apo-Diclo Diclax SR	2015
Dihydrocodeine tartrate	Tab long-acting 60 mg	DHC Continus	2016
Diltiazem hydrochloride	Tab 30 mg & 60 mg	Dilzem	2015
<b>Dimethicone</b>	<b>Crn 5% pump bottle</b>	<b>healthE Dimethicone 5%</b>	<b>2016</b>
<b>Diphtheria, tetanus and pertussis vaccine</b>	<b>Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid, 8 mcg pertussis toxoid, 8 mcg pertussis filamentous haemagglutinin and 2.5 mcg pertactin in 0.5 ml syringe</b>	<b>Boostrix</b>	<b>2017</b>
<b>Diphtheria, tetanus, pertussis and inactivated polio vaccine</b>	<b>Inj 30 IU diphtheria toxoid with 40 IU tetanus toxoid, 25 mcg pertussis toxoid, 25 mcg pertussis filamentous haemagglutinin, 8 mcg pertactin and 80 D-antigen units poliomyelitis virus in 0.5 ml</b>	<b>Infanrix IPV</b>	<b>2017</b>
<b>Diphtheria, tetanus, pertussis, polio, hepatitis b and haemophilus influenzae type b vaccine</b>	<b>Inj 30 IU diphtheria toxoid with 40 IU tetanus toxoid, 25 mcg pertussis toxoid, 25 mcg pertussis filamentous haemagglutinin, 8 mcg pertactin, 80 D-AgU polio virus, 10 mcg hepatitis B surface antigen in 0.5 ml syringe and inj 10 mcg haemophilus influenza</b>	<b>Infanrix-hexa</b>	<b>2017</b>
Domperidone	Tab 10 mg	Prokinex	2015
Enoxaparin sodium	Inj 20 mg, 40 mg, 60 mg, 80 mg, 100 mg, 120 mg & 150 mg	Clexane	2015
Entacapone	Tab 200 mg	Entapone	2015
Etidronate disodium	Tab 200 mg	Arrow-Etidronate	2015
Ethinylestradiol	Tab 10 mcg	NZ Medical and Scientific	2015
Felodopine	Tab long-acting 5 mg & 10 mg Tab long-acting 2.5 mg	Plendil ER Plendil ER	2015
Fentanyl	Inj 50 mcg per ml, 2 ml & 10 ml	Boucher and Muir	2015
Ferrous sulphate	Oral liq 30 mg (6 mg elemental) per 1 ml	Ferodan	2016
Filgrastim	Inj 300 mcg per 0.5 ml Inj 480 mcg per 0.5 ml	Zarzio Zarzio	31/12/15
Flucloxacillin sodium	Grans for oral liq 125 mg per 5 ml Grans for oral liq 250 mg per 5 ml Cap 250 mg & 500 mg	AFT Staphlex	2015
Fluorometholone	Eye drops 0.1%	Flucon	2015
Fluorouracil sodium	Crn 5%	Efudix	2015

\*Expiry date of the Sole Subsidised Supply period is 30 June of the year indicated unless otherwise stated. Please note that Sole Subsidised Supply may have been awarded for a wider scope than just those presentation(s) listed in the above table.

## Sole Subsidised Supply Products – cumulative to July 2014

Generic Name	Presentation	Brand Name	Expiry Date*
<b>Fluoxetine hydrochloride</b>	<b>Cap 20 mg Tab dispersible 20 mg, scored</b>	<b>Arrow-Fluoxetine</b>	<b>2016</b>
Fluticasone propionate	Metered aqueous nasal spray, 50 mcg per dose	Flixonase Hayfever & Allergy	2015
Furosemide	Tab 500 mg Tab 40 mg	Urex Forte Diurin 40	2015
Fusidic acid	Oint 2%	Foban	2016
Gemfibrozil	Tab 600 mg	Lipazil	2016
Gentamicin sulphate	Inj 40 mg per ml, 2 ml	Pfizer	2015
Glipizide	Tab 5 mg	Minidiab	2015
Glycerol	Suppos 3.6 g	PSM	2015
<b>Haemophilus influenzae type b vaccine</b>	<b>Inj 10 mcg vial with diluent syringe</b>	<b>Act-HIB</b>	<b>2017</b>
Haloperidol	Tab 500 mcg, 1.5 mg & 5 mg Oral liq 2 mg per ml Inj 5 mg per ml, 1 ml	Serenace	2016
<b>Hepatitis a vaccine</b>	<b>Inj 1440 ELISA units in 1 ml syringe Inj 720 ELISA units in 1 ml syringe</b>	<b>Havrix Havrix Junior</b>	<b>2017</b>
<b>Hepatitis b recombinant vaccine</b>	<b>Inj 5 mcg, 10 mcg &amp; 40 mcg per 0.5 ml vial</b>	<b>HBvaxPRO</b>	<b>2017</b>
<b>Human papilloma virus (6,11,16 and 18) vaccine [HPV]</b>	<b>Inj 120 mcg in 0.5 ml syringe</b>	<b>Gardasil</b>	<b>2017</b>
Hydrocortisone	Inj 100 mg vial Tab 5 mg & 20 mg	Solu-Cortef Douglas	2016 2015
Hydrocortisone acetate	Rectal foam 10%, CFC-Free (14 applications)	Colifoam	2015
Hydrocortisone butyrate	Lipocream 0.1% Milky emul 0.1% Oint 0.1% Scalp lotn 0.1%	Locoid Lipocream Locoid Crelo Locoid Locoid	2015
Hydroxocobalamin	Inj 1 mg per ml, 1 ml	ABM Hydroxocobalamin	2015
Hydroxychloroquine sulphate	Tab 200 mg	Plaquenil	2015
Hyoscine hydrobromide	Patch 1.5 mg	Scopoderm TTS	2016
Ibuprofen	Oral liq 20 mg per ml	Fenpaed	2016
<b>Imatinib mesilate</b>	<b>Tab 100 mg</b>	<b>Imatinib-AFT</b>	<b>2017</b>
Indapamide	Tab 2.5 mg	Dapa-Tabs	2016
Ipratropium bromide	Nebuliser soln, 250 mcg per ml, 1 ml Nebuliser soln, 250 mcg per ml, 2 ml	Univent	2016
Isoniazid	Tab 100 mg	PSM	2015

\*Expiry date of the Sole Subsidised Supply period is 30 June of the year indicated unless otherwise stated. Please note that Sole Subsidised Supply may have been awarded for a wider scope than just those presentation(s) listed in the above table.



## Sole Subsidised Supply Products – cumulative to July 2014

Generic Name	Presentation	Brand Name	Expiry Date*
Isotretinoin	Cap 10 mg & 20 mg	Oratane	2015
Ispaghula (psyllium) husk	Powder for oral soln	Konsyl-D	2016
Itraconazole	Cap 100 mg	Itrazole	2016
Lactulose	Oral liq 10 g per 15 ml	Laevolac	2016
Lamivudine	Tab 150 mg Oral liq 10 mg per ml; 240 ml OP	Lamivudine Alphapharm 3TC	2016
Lansoprazole	Cap 15 mg & 30 mg	Solox	2015
Latanoprost	Eye drops 50 mcg per ml	Hysite	2015
Letrozole	Tab 2.5 mg	Letraccord	2015
Levonorgestrel	Tab 1.5 mg	Postinor-1	2016
Lidocaine [lignocaine] hydrochloride	Inj 2% ampoule, 5 ml & 20 ml	Lidocaine-Claris	2015
Lisinopril	Tab 5 mg, 10 mg & 20 mg	Arrow-Lisinopril	2015
Lithium carbonate	Tab 250 mg & 400 mg	Lithicarb FC	2015
Loratadine	Tab 10 mg	Lorafix	2016
Macrogol 400 and propylene glycol	Eye drops 0.4% and propylene glycol 0.3%, 0.4 ml	Systane Unit Dose	2016
Mask for spacer device	Size 2	EZ-fit Paediatric Mask	2015
<b>Measles, mumps and rubella vaccine</b>	<b>Inj 1000 TCID50 measles, 12500 TCID50 mumps and 1000 TCID50 rubella vial with diluent 0.5 ml vial</b>	<b>M-M-R II</b>	<b>2017</b>
Medroxyprogesterone acetate	Tab 2.5 mg, 5 mg, 10 mg & 100 mg Inj 150 mg per ml, 1 ml syringe	Provera Depo-Provera	2016
Megestrol acetate	Tab 160 mg	Apo-Megestrol	2015
<b>Meningococcal c conjugate vaccine</b>	<b>Inj 10 mcg in 0.5 ml syringe</b>	<b>Neisvac-C</b>	<b>2017</b>
<b>Meningococcal (groups a,c,y and w-135) conjugate vaccine</b>	<b>Inj 4 mcg of each meningococcal polysaccharide conjugated to a total of approximately 48 mcg of diphtheria toxoid carrier per 0.5 ml vial</b>	<b>Menactra</b>	<b>2017</b>
Methotrexate	Inj 25 mg per ml, 2 ml & 20 ml	Hospira	2016
Methylprednisolone	Tab 4 mg & 100 mg	Medrol	2015
Methylprednisolone acetate	Inj 40 mg per ml	Depo-Medrol	2015
Methylprednisolone acetate with lignocaine	Inj 40 mg per ml with lignocaine 1 ml	Depo-Medrol with Lidocaine	2015
Mesalazine	Enema 1 g per 100 ml	Pentasa	2015

\*Expiry date of the Sole Subsidised Supply period is 30 June of the year indicated unless otherwise stated. Please note that Sole Subsidised Supply may have been awarded for a wider scope than just those presentation(s) listed in the above table.

## Sole Subsidised Supply Products – cumulative to July 2014

Generic Name	Presentation	Brand Name	Expiry Date*
Metformin hydrochloride	Tab immediate-release 500 mg & 850 mg	Apotex	2015
Methadone hydrochloride	Oral liq 2 mg per ml Oral liq 5 mg per ml Oral liq 10 mg per ml	Biodone Biodone Forte Biodone Extra Forte	2015
Methotrexate	Inj prefilled syringe 7.5 mg, 10 mg, 15 mg, 20 mg, 25 mg & 30 mg	Methotrexate Sandoz	2016
Methylprednisolone sodium succinate	Inj 40 mg per ml, 1 ml; 62.5 mg per ml, 2 ml; 500 mg & 1 g	Solu-Medrol	2015
Metoprolol succinate	Tab long-acting 23.75 mg, 47.5 mg, 95 mg & 190 mg	Metoprolol-AFT CR	2015
Metoprolol tartrate	Inj 1 mg per ml, 5 ml Tab 50 mg & 100 mg Tab long-acting 200 mg	Lopresor Lopresor Slow-Lopresor	2015
Mercaptopurine	Tab 50 mg	Puri-nethol	2016
Miconazole	Oral gel 20 mg per g	Decozol	2015
Mirtazapine	Tab 30 mg & 45 mg	Avanza	2015
Mitomycin C	Inj 5 mg vial	Arrow	2016
Moclobemide	Tab 150 mg & 300 mg	Apo-Moclobemide	2015
Mometasone furoate	Crn 0.1% Oint 0.1%	m-Mometasone	2015
Morphine hydrochloride	Oral liq 1 mg per ml, 2 mg per ml, 5 mg per ml & 10 mg per ml	RA-Morph	2015
Morphine sulphate	Cap long-acting 10 mg, 30 mg, 60 mg and 100 mg Tab long-acting 10 mg, 30 mg, 60 mg & 100 mg	m-Eslon Arrow-Morphine LA	2016
Morphine tartrate	Inj 80 mg per ml, 1.5 ml & 5 ml	Hospira	2016
Mycophenolate mofetil	Cap 250 mg Tab 500 mg	Cellcept	2016
Naltrexone hydrochloride	Tab 50 mg	Naltraccord	2016
Nadolol	Tab 40 mg & 80 mg	Apo-Nadolol	2015
Naproxen	Tab 250 mg Tab 500 mg	Noflam 250 Noflam 500	2015
Nevirapine	Tab 200 mg	Nevirapine Alphapharm	2015
Norethisterone	Tab 350 mcg	Noriday 28	2015
Nortriptyline hydrochloride	Tab 10 mg & 25 mg	Norpress	2016
Oil in water emulsion	Crn	healthE Fatty Cream	2015
Ondansetron	Tab 4 mg & 8 mg	Onrex	2016

\*Expiry date of the Sole Subsidised Supply period is 30 June of the year indicated unless otherwise stated. Please note that Sole Subsidised Supply may have been awarded for a wider scope than just those presentation(s) listed in the above table.

## Sole Subsidised Supply Products – cumulative to July 2014

Generic Name	Presentation	Brand Name	Expiry Date*
Oxybutynin	Oral liq 5 mg per ml Tab 5 mg	Apo-Oxybutynin	2016
Oxycodone hydrochloride	Tab controlled-release 10 mg, 20 mg & 80 mg Tab controlled-release 40 mg Inj 50 mg per ml, 1 ml Inj 10 mg per ml, 1 ml & 2 ml	BNM Oxydone OxyNorm Oxycodone Orion	2015
Oxytocin	Inj 5 iu per ml, 1 ml ampoule Inj 10 iu per ml, 1 ml ampoule Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml	Oxytocin BNM BNM Syntometrine	2015
Paracetamol	Suppos 500 mg	Paracare	2015
Paroxetine hydrochloride	Tab 20 mg	Loxamine	2016
Peak flow meter	Low range & normal range	Breath-Alert	2015
Pegylated interferon alfa-2a	Inj 135 mcg prefilled syringe & inj 180 mcg prefilled syringe	Pegasys	2017
Pegylated interferon alfa-2a	Inj 135 mcg prefilled syringe × 4 with ribavirin tab 200 mg × 112 Inj 135 mcg prefilled syringe × 4 with ribavirin tab 200 mg × 168 Inj 180 mcg prefilled syringe × 4 with ribavirin tab 200 mg × 112 Inj 180 mcg prefilled syringe × 4 with ribavirin tab 200 mg × 168	Pegasys RBV Combination Pack Pegasys RBV Combination Pack Pegasys RBV Combination Pack Pegasys RBV Combination Pack	2017
Pethidine hydrochloride	Tab 50 mg & 100 mg	PSM	2015
Phenobarbitone	Tab 15 mg & 30 mg	PSM	2015
Phenoxyethylpenicillin (Penicillin V)	Grans for oral liq 125 mg per 5 ml & 250 mg per 5 ml	AFT	2016
Pindolol	Tab 5 mg, 10 mg & 15 mg	Apo-Pindolol	2016
Pioglitazone	Tab 15 mg, 30 mg & 45 mg	Pizaccord	2015
Pizotifen	Tab 500 mcg	Sandomigran	2015
<b>Poliomyelitis vaccine</b>	<b>Inj 80D antigen units in 0.5 ml syringe</b>	<b>IPOL</b>	<b>2017</b>
<b>Pneumococcal (PPV23) polysaccharide vaccine</b>	<b>Inj 575 mcg in 0.5 ml vial (25 mcg of each 23 pneumococcal serotype)</b>	<b>Pneumovax 23</b>	<b>2017</b>
Potassium chloride	Tab long-acting 600 mg	Span-K	2015
<b>Prochlorperazine</b>	<b>Tab 5 mg</b>	<b>Antinaus</b>	<b>2017</b>
Promethazine hydrochloride	Oral liq 5 mg per 5 ml Tab 10 mg & 25 mg	Allersoothe Allersoothe	2015

\*Expiry date of the Sole Subsidised Supply period is 30 June of the year indicated unless otherwise stated. Please note that Sole Subsidised Supply may have been awarded for a wider scope than just those presentation(s) listed in the above table.

## Sole Subsidised Supply Products – cumulative to July 2014

Generic Name	Presentation	Brand Name	Expiry Date*
Quinapril	Tab 5 mg, 10 mg & 20 mg	Arrow-Quinapril	2015
Quinapril with hydrochlorothiazide	Tab 10 mg with hydrochlorothiazide 12.5 mg	Accuretic 10	2015
	Tab 20 mg with hydrochlorothiazide 12.5 mg	Accuretic 20	
Rifabutin	Cap 150 mg	Mycobutin	2016
Ritonavir	Tab 100 mg	Norvir	2015
Ropinirole hydrochloride	Tab 0.25 mg, 1 mg, 2 mg and 5 mg	Apo-Ropinirole	2016
<b>Rotavirus live reassortant oral vaccine</b>	<b>Oral susp G1, G2, G3, G4, P1(8) 11.5 million CCID50</b>	<b>RotaTeq</b>	<b>2017</b>
Roxithromycin	Tab 150 mg & 300 mg	Arrow-Roxithromycin	2015
Salbutamol	Oral liq 400 mcg per ml	Ventolin	2016
	Nebuliser soln, 1 mg per ml & 2 mg per ml, 2.5 ml	Asthalin	2015
Salbutamol with ipratropium bromide	Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml	Duolin	2015
Sertraline	Tab 50 mg & 100 mg	Arrow-Sertraline	2016
Sodium chloride	Inj 23.4%, 20 ml ampoule	Biomed	2016
Sodium citrate with sodium lauryl sulphoacetate	Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml, 5 ml	Micolette	2016
Sodium hyaluronate	Eye drops 1 mg per ml, 10 ml OP	Hylo-Fresh	2016
Spacer device	800 ml	Volumatic	2015
	230 ml (single patient)	Space Chamber Plus	
Spirolactone	Tab 25 mg & 100 mg	Spiractin	2016
Sulphasalazine	Tab 500 mg	Salazopyrin	2016
	Tab EC 500 mg	Salazopyrin EN	
Sumatriptan	Tab 50 mg & 100 mg	Arrow-Sumatriptan	2016
	Inj 12 mg per ml, 0.5 ml cartridge		
Tamsulosin hydrochloride	Cap 400 mcg	Tamsulosin-Rex	2016
Temozolomide	Cap 5 mg, 20 mg, 100 mg & 250 mg	Temaccord	2016
Terazosin	Tab 1 mg, 2 mg & 5 mg	Arrow	2016
Testosterone undecanoate	Cap 40 mg	Andriol Testocaps	2015
Tetrabenazine	Tab 25 mg	Motetis	2016
Timolol maleate	Eye drops 0.25%, gel forming; 2.5 ml OP & eye drops 0.5%, gel forming; 2.5 ml OP	Timoptol XE	2016
Tretinoin	Crn 0.5 mg per g	ReTrieve	2016
Urea	Crn 10%	healthE Urea Cream	2016

\*Expiry date of the Sole Subsidised Supply period is 30 June of the year indicated unless otherwise stated. Please note that Sole Subsidised Supply may have been awarded for a wider scope than just those presentation(s) listed in the above table.

## Sole Subsidised Supply Products – cumulative to July 2014

Generic Name	Presentation	Brand Name	Expiry Date*
<b>Varicella vaccine [chicken pox vaccine]</b>	<b>Inj 2,000 PFU vial with diluent</b>	<b>Varilix</b>	<b>2017</b>
Vitamin B complex	Tab, strong, BPC	Bplex	2016
Vitamins	Tab (BCP cap strength)	Mvite	2016
Zidovudine [AZT]	Cap 100 mg & oral liq 10 mg per ml	Retrovir	2016

July changes are in bold type

\*Expiry date of the Sole Subsidised Supply period is 30 June of the year indicated unless otherwise stated. Please note that Sole Subsidised Supply may have been awarded for a wider scope than just those presentation(s) listed in the above table.

Check your Schedule for full details  
Schedule page ref

Subsidy  
(Mnfr's price)  
\$ Per

Brand or  
Generic Mnfr  
✓ fully subsidised

## New Listings

Effective 1 July 2014

27	DIAZOXIDE – Special Authority see SA1320 – Retail pharmacy Oral liq 50 mg per ml.....	620.00	30 ml OP	✓ <b>Proglycem</b> <b>S29</b>
46	OCTOCOG ALFA [RECOMBINANT FACTOR VIII] – [Xpharm] For patients with haemophilia, whose treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group. Inj 250 iu vial.....	250.00	1	✓ <b>Kogenate FS</b>
	Note – This is a new pack with a new Pharmacode 2461366, the old Pharmacode 2187159 to be delisted 1 January 2015.			
58	NIFEDIPINE * Tab long-acting 60 mg .....	5.75	30	✓ <b>Adefin XL</b>
	Note – This is a new pack with a new Pharmacode 2444054.			
89	SOMATROPIN [OMNITROPE] – Special Authority see SA1451 – Retail pharmacy – No patient co-payment payable * Inj 5 mg cartridge .....	109.50	1	✓ <b>Omnitrope</b>
	* Inj 10 mg cartridge .....	219.00	1	✓ <b>Omnitrope</b>
	* Inj 15 mg cartridge .....	328.50	1	✓ <b>Omnitrope</b>

➔ SA1451 Special Authority for Subsidy

Initial application - (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

Either:

- 1 Growth hormone deficiency causing symptomatic hypoglycaemia, or with other significant growth hormone deficient sequelae (e.g. cardiomyopathy, hepatic dysfunction) and diagnosed with GH < 5 mcg/l on at least two random blood samples in the first 2 weeks of life, or from samples during established hypoglycaemia (whole blood glucose < 2 mmol/l using a laboratory device); or
- 2 All of the following:
  - 2.1 Height velocity < 25th percentile for age adjusted for bone age/pubertal status if appropriate over 6 or 12 months using the standards of Tanner and Davies (1985); and
  - 2.2 A current bone age is <14 years (female patients) or <16 years (male patients); and
  - 2.3 Peak growth hormone value of < 5.0 mcg per litre in response to two different growth hormone stimulation tests. In children who are 5 years or older, GH testing with sex steroid priming is required; and
  - 2.4 If the patient has been treated for a malignancy, they should be disease free for at least one year based upon follow-up laboratory and radiological imaging appropriate for the malignancy, unless there are strong medical reasons why this is either not necessary or appropriate; and
  - 2.5 Appropriate imaging of the pituitary gland has been obtained.

Renewal - (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 A current bone age is ≤ 14 years (female patients) or ≤ 16 years (male patients); and
- 2 Height velocity is ≥ 25th percentile for age (adjusted for bone age/pubertal status if appropriate) while on growth hormone treatment, as calculated over six months using the standards of Tanner and Davis (1985); and
- 3 Height velocity is ≥ 2.0 cm per year, as calculated over 6 months; and

*continued...*

## New Listings – effective 1 July 2014 (continued)

*continued...*

- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

Initial application - (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a post-natal genotype confirming Turner Syndrome; and
- 2 Height velocity is < 25th percentile over 6-12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is < 14 years.

Renewal - (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity  $\geq$  50th percentile for age (while on growth hormone calculated over 6 to 12 months using the Ranke's Turner Syndrome growth velocity charts); and
- 2 Height velocity is  $\geq$  2 cm per year, calculated over six months; and
- 3 A current bone age is  $\leq$  14 years; and
- 4 No serious adverse effect that the specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

Initial application - (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 3 standard deviations below the mean for age or for bone age if there is marked growth acceleration or delay; and
- 2 Height velocity is < 25th percentile for age (adjusted for bone age/pubertal status if appropriate), as calculated over 6 to 12 months using the standards of Tanner and Davies(1985); and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 The patient does not have severe chronic disease (including malignancy or recognized severe skeletal dysplasia) and is not receiving medications known to impair height velocity.

Renewal - (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is  $\geq$  50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is  $\geq$  2 cm per year as calculated over six months; and
- 3 A current bone age is  $\leq$  14 years (female patients) or  $\leq$  16 years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred.

Initial application - (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or a renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 2 standard deviations below the mean; and
- 2 Height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is  $\leq$  to 14 years (female patients) or  $\leq$  to 16 years (male patients); and
- 4 The patient is metabolically stable, has no evidence of metabolic bone disease and absence of any other severe chronic disease; and
- 5 The patient is under the supervision of a specialist with expertise in renal medicine; and
- 6 Either:

*continued...*

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

\* Three months or six months, as applicable, dispensed all-at-once

Check your Schedule for full details  
Schedule page ref

Subsidy  
(Mnfr's price)  
\$ Per

Brand or  
Generic Mnfr  
✓ fully subsidised

## New Listings – effective 1 July 2014 (continued)

*continued...*

- 6.1 The patient has a GFR  $\leq 30$  ml/min/1.73m<sup>2</sup> as measured by the Schwartz method (Height(cm)/plasma creatinine (umol/l)) x 40 = corrected GFR (ml/min/1.73m<sup>2</sup>) in a child who may or may not be receiving dialysis; or
- 6.2 The patient has received a renal transplant and has received < 5mg/ m<sup>2</sup>/day of prednisone or equivalent for at least 6 months.

Renewal - (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist.

Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is  $\geq$  50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is  $\geq 2$  cm per year as calculated over six months; and
- 3 A current bone age is  $\leq 14$  years (female patients) or  $\leq 16$  years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not experienced significant biochemical or metabolic deterioration confirmed by diagnostic results; and
- 7 The patient has not received renal transplantation since starting growth hormone treatment; and
- 8 If the patient requires transplantation, growth hormone prescription should cease before transplantation and a new application should be made after transplantation based on the above criteria.

Initial application - (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of Prader-Willi syndrome that has been confirmed by genetic testing or clinical scoring criteria; and
- 2 The patient's height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 3 Either:
  - 3.1 The patient is under two years of age and height velocity has been assessed over a minimum six month period from the age of 12 months, with at least three supine length measurements over this period demonstrating clear and consistent evidence of linear growth failure (with height velocity < 25th percentile); or
  - 3.2 The patient is aged two years or older; and
- 4 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 5 Sleep studies or overnight oximetry have been performed and there is no obstructive sleep disorder requiring treatment, or if an obstructive sleep disorder is found, it has been adequately treated under the care of a paediatric respiratory physician and/or ENT surgeon; and
- 6 There is no evidence of type II diabetes or uncontrolled obesity defined by BMI that has increased by  $\geq 0.5$  standard deviations in the preceding 12 months.

Renewal - (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is  $\geq$  50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is  $\geq 2$  cm per year as calculated over six months; and
- 3 A current bone age is  $\leq 14$  years (female patients) or  $\leq 16$  years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and

*continued...*



## New Listings – effective 1 July 2014 (continued)

*continued...*

- 6 The patient has not developed type II diabetes or uncontrolled obesity as defined by BMI that has increased by  $\geq 0.5$  standard deviations in the preceding 12 months.

Initial application - (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a medical condition that is known to cause growth hormone deficiency (e.g. surgical removal of the pituitary for treatment of a pituitary tumour); and
- 2 The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses; and
- 3 The patient has severe growth hormone deficiency (see notes); and
- 4 The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex; and
- 5 The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life questionnaire for adult growth hormone deficiency (QoL-AGHDA®).

\*Note

For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of  $\leq 3$  mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test.

Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of  $\leq 0.4$  mcg per litre.

The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement doses of corticosteroid and levothyroxine.

Renewal - (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
  - 1.1 The patient has been treated with somatropin for  $< 12$  months; and
  - 1.2 There has been an improvement in Quality of Life defined as a reduction of at least 8 points on the Quality of Life Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA®) score from baseline; and
  - 1.3 Serum IGF-I levels have been increased within  $\pm 1SD$  of the mean of the normal range for age and sex; and
  - 1.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients, or 1 mg per day for female patients; or
- 2 All of the following:
  - 2.1 The patient has been treated with somatropin for more than 12 months; and
  - 2.2 The patient has not had a deterioration in Quality of Life defined as a 6 point or greater increase from their lowest QoL-AGHDA® score on treatment (other than due to obvious external factors such as external stressors); and
  - 2.3 Serum IGF-I levels have continued to be maintained within  $\pm 1SD$  of the mean of the normal range for age and sex (other than for obvious external factors); and
  - 2.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients or 1 mg per day for female patients.

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

\* Three months or six months, as applicable, dispensed all-at-once

Check your Schedule for full details Schedule page ref	Subsidy (Mnfr's price) \$	Per	Brand or Generic Mnfr ✓ fully subsidised
---	---------------------------------	-----	--

### New Listings – effective 1 July 2014 (continued)

94	AMOXICILLIN Grans for oral liq 125 mg per 5 ml ..... 0.88	100 ml	✓ Amoxicillin Actavis
	a) Up to 200 ml available on a PSO b) Wastage claimable – see rule 3.3.2		
	Grans for oral liq 250 mg per 5 ml ..... 0.97	100 ml	✓ Amoxicillin Actavis
	a) Up to 300 ml available on a PSO b) Up to 10 x the maximum PSO quantity for RFPP – see rule 5.2.6 c) Wastage claimable – see rule 3.3.2		
117	CAPSAICIN Crm 0.025% – Special Authority see SA1289 – Retail pharmacy ..... 6.95	25 g OP	✓ Zostrix
120	PAMIDRONATE DISODIUM Inj 3 mg per ml, 10 ml vial ..... 6.80 Inj 6 mg per ml, 10 ml vial ..... 13.20 Inj 9 mg per ml, 10 ml vial ..... 19.20	1 1 1	✓ Pamisol ✓ Pamisol ✓ Pamisol
130	OXYCODONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency Tab controlled-release 80 mg ..... 34.00	20	✓ <u>BNM</u>
149	DEXAMPHETAMINE SULPHATE – Special Authority see SA1149 – Retail pharmacy a) Only on a controlled drug form b) Safety medicine; prescriber may determine dispensing frequency Tab 5 mg ..... 16.50	100	✓ PSM s29 <b>S29</b>
157	CAPECITABINE – Retail pharmacy-Specialist Tab 150 mg ..... 30.00 Tab 500 mg ..... 120.00	60 120	✓ Capecitabine Winthrop ✓ Capecitabine Winthrop
169	OCTREOTIDE Inj 50 mcg per ml, 1 ml vial ..... 13.50 Inj 100 mcg per ml, 1 ml vial ..... 22.40 Inj 500 mcg per ml, 1 ml vial ..... 89.40	5 5 5	✓ DBL ✓ DBL ✓ DBL
199	PHARMACY SERVICES – May only be claimed once per patient * Brand switch fee ..... 4.33	1 fee	✓ BSF Arrow- Fluoxetine ✓ BSF Imatinib-AFT
	The Pharmacode for BSF Arrow-Fluoxetine is 2461102 The Pharmacode for BSF Imatinib-AFT is 2461099		
220	ORAL FEED (POWDER) – Special Authority see SA1228 – Hospital pharmacy [HP3] Powder (vanilla) ..... 3.67	350 g OP	✓ Fortisip

Check your Schedule for full details Schedule page ref	Subsidy (Mnfr's price) \$	Per	Brand or Generic Mnfr ✓ fully subsidised
---	---------------------------------	-----	--

### New Listings – effective 12 June 2014

55	LOSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE Tab 50 mg with hydrochlorothiazide 12.5 mg .....	10.45	30	✓ Hyzaar
----	---	-------	----	----------

### Effective 1 June 2014

123	FEBOXOSTAT – Special Authority see SA1431 – Retail pharmacy Tab 80 mg .....	39.50	28	✓ Adenuric
	Tab 120 mg .....	39.50	28	✓ Adenuric

▶ SA1431 | Special Authority for Subsidy

Initial application from any relevant practitioner. Applications valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and appropriate doses of probenecid; or
- 2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite appropriate doses of probenecid; or
- 3 Both:
  - 3.1 The patient has renal impairment and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Note); and
  - 3.2 The patient has a rate of creatinine clearance greater than or equal to 30 ml/min.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications where the treatment remains appropriate and the patient is benefitting from treatment.

Note – Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

130	OXYCODONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency Tab controlled-release 10 mg .....	6.75	20	✓ BNM
	Tab controlled-release 20 mg .....	11.50	20	✓ BNM
199	PHARMACY SERVICES – May only be claimed once per patient * Brand switch fee.....	4.33	1 fee	✓ BSF Apo-Cilazapril/ Hydrochlorothiazide
The Pharmacode for BSF Apo-Cilazapril/Hydrochlorothiazide is 2459299.				
204	COMPOUND HYDROXYBENZOATE – Only in combination Only in extemporaneously compounded oral mixtures. Soln .....	30.00	100 ml	✓ Midwest
214	PAEDIATRIC ORAL FEED – Special Authority see SA1379 – Hospital pharmacy [HP3] Powder (vanilla) .....	20.00	850 g OP	✓ Pediasure
215	RENAL ENTERAL FEED 1.8 KCAL/ML – Special Authority see SA1101 – Hospital pharmacy [HP3] Liquid.....	6.08	500 ml OP	✓ Nepro HP RTH

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

\* Three months or six months, as applicable, dispensed all-at-once

Check your Schedule for full details Schedule page ref	Subsidy (Mnfr's price) \$	Per	Brand or Generic Mnfr ✓ fully subsidised
---	---------------------------------	-----	--

### New Listings – effective 1 June 2014 (continued)

215	RENAL ORAL FEED 1.8 KCAL/ML – Special Authority see SA1101 – Hospital pharmacy [HP3] Liquid.....	2.67	220 ml OP	✓ Nepro HP (strawberry) ✓ Nepro HP(vanilla)
-----	---	------	-----------	---

### Effective 1 May 2014

53	PHENOXYBENZAMINE HYDROCHLORIDE * Cap 10 mg .....	65.00	30	✓ BNM <b>S29</b>
94	AMOXYCILLIN Cap 500 mg .....	20.94	500	✓ Apo-Amoxi
	a) Up to 30 cap available on a PSO b) Up to 10 x the maximum PSO quantity for RFPP – see rule 5.2.6			
140	PALIPERIDONE – Special Authority see SA1429 – Retail pharmacy Safety medicine; prescriber may determine dispensing frequency			
	Inj 25 mg syringe .....	194.25	1	✓ Invega Sustenna
	Inj 50 mg syringe .....	271.95	1	✓ Invega Sustenna
	Inj 75 mg syringe .....	357.42	1	✓ Invega Sustenna
	Inj 100 mg syringe .....	435.12	1	✓ Invega Sustenna
	Inj 150 mg syringe .....	435.12	1	✓ Invega Sustenna

#### ▶▶ SA1429 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient has had an initial Special Authority approval for risperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
  - 2.1 The patient has schizophrenia or other psychotic disorder; and
  - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
  - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note – Paliperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialling paliperidone depot injection.

156	CYCLOPHOSPHAMIDE Tab 50 mg – PCT – Retail pharmacy-Specialist.....	25.71	50	✓ Cycloblastin
187	TACROLIMUS – Special Authority see SA0669 – Retail pharmacy Cap 0.5 mg .....	85.60	100	✓ Tacrolimus Sandoz
	Cap 1 mg .....	171.20	100	✓ Tacrolimus Sandoz
	Cap 5 mg – For tacrolimus oral liquid formulation refer page 201 .....	428.00	50	✓ Tacrolimus Sandoz

Check your Schedule for full details  
Schedule page ref

Subsidy  
(Mnfr's price)  
\$ Per

Brand or  
Generic Mnfr  
✓ fully subsidised

## Changes to Restrictions, Chemical Names and Presentations Effective 1 July 2014

26	RANITIDINE HYDROCHLORIDE – Only on a prescription (amendment to chemical name)			
	* Tab 150 mg .....	6.79	250	✓ Arrow-Ranitidine
	* Tab 300 mg .....	9.34	250	✓ Arrow-Ranitidine
	* Oral liq 150 mg per 10 ml .....	4.92	300 ml	✓ Peptisoothe
	* Inj 25 mg per ml, 2 ml .....	8.75	5	✓ Zantac
27	DIAZOXIDE – Special Authority see SA1320 – Retail pharmacy (removal of standard formulae) Cap 25 mg – For diazoxide oral liquid formulation refer, page 200.....	110.00	100	✓ Proglitem <b>S29</b>
42	IRON POLYMALTOSE (amendment to presentation description) * Inj 50 mg per ml, 2 ml ampoule.....	15.22	5	✓ Ferrum H
75	SALICYLIC ACID Powder – Only in combination .....	18.88	250 g	✓ PSM
	1) Only in combination with a dermatological base or proprietary Topical Corticosteroid – Plain or collodion flexible, refer dermatological base			
	2) With or without other dermatological galenicals.			
	3) Maximum 20 g or 20 ml per prescription when prescribed with white soft paraffin or collodion flexible.			
85	TESTOSTERONE CYPIONATE – Retail pharmacy-Specialist (amendment to presentation description) Inj long-acting 100 mg per ml, 10 ml vial .....	76.50	1	✓ Depo-Testosterone
89	<b>SA1279 Special Authority for Subsidy</b> Special Authority approved by the Growth Hormone Committee Notes – Application details may be obtained from PHARMAC's website <a href="http://www.pharmac.govt.nz">http://www.pharmac.govt.nz</a> or: NZGHC Coordinator PHARMAC, PO Box 10-254, WELLINGTON Tel: 0800 808 476, Fax: (09) 929 3221, Email: <a href="mailto:growthhormone@pharmac.govt.nz">growthhormone@pharmac.govt.nz</a> SOMATROPIN [GENOTROPIN] – Special Authority see SA1279 – [Xpharm] * Inj cartridge 16 iu (5.3 mg) .....	160.00	1	✓ Genotropin
	* Inj cartridge 36 iu (12 mg) .....	360.00	1	✓ Genotropin
90	DESMOPRESSIN ACETATE (amendment to chemical name) * Nasal spray 10 mcg per dose – Retail pharmacy-Specialist.....	22.95	6 ml OP	✓ Desmopressin-PH&T
92	CEFAZOLIN SODIUM – Subsidy by endorsement (amendment to chemical name and presentation description) Only if prescribed for dialysis or cellulitis in accordance with a DHB approved protocol and the prescription is endorsed accordingly. Inj 500 mg vial .....	3.99	5	✓ AFT
	Inj 1 g vial .....	3.38	5	✓ AFT
94	AMOXICILLIN AMOXYGILLIN (amendment to chemical name)			
94	BENZYL PENICILLIN SODIUM (PENICILLIN G) (amendment to presentation description) Inj 600 mg (1 million units) vial – Up to 5 inj available on a PSO .....	10.35	10	✓ Sandoz

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

\* Three months or six months, as applicable, dispensed all-at-once

Check your Schedule for full details Schedule page ref	Subsidy (Mnfr's price) \$	Per	Brand or Generic Mnfr ✓ fully subsidised
---	---------------------------------	-----	--

### Changes to Restrictions – effective 1 July 2014 (continued)

95	FLUCLOXACILLIN SODIUM (amendment to presentation description) Inj 250 mg vial ..... 8.80 Inj 500 mg vial ..... 9.20 Inj 1 g vial – Up to 10 5 inj available on a PSO ..... 11.60	10 10 10	✓ Flucloxin ✓ Flucloxin ✓ Flucloxin
95	PROCAINE PENICILLIN (amendment to presentation description) Inj 1.5 g in 3.4 ml syringe 1.5 mega u – Up to 5 inj available on a PSO ..... 123.50	5	✓ Cilicaine
95	DOXYCYCLINE HYDROCHLORIDE (amendment to chemical name) * Tab 100 mg – Up to 30 tab available on a PSO ..... 6.75	250	✓ Doxine
99	KETOCONAZOLE (amendment to endorsement and subsidy) Tab 200 mg – PCT – Retail pharmacy Specialist ..... CBS Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist, dermatologist, endocrinologist or oncologist.	30	✓ Nizoral S29
115	NORFLOXACIN - Subsidy by endorsement (amendment to endorsement) Tab 400 mg - Maximum of 6 tab per prescription; can be waived by endorsement – Retail pharmacy – Specialist ..... 13.50	100	✓ Arrow-Norfloxacin
<b>Only if prescribed for a patient with an uncomplicated urinary tract infection that is unresponsive to a first line agent or with proven resistance to first line agents and the prescription is endorsed accordingly.</b>			
120	PAMIDRONATE DISODIUM (amendment to presentation description) Inj 3 ml per ml, 5 ml vial ..... 18.75 Inj 3 mg per ml, 10 ml vial ..... 16.00 Inj 6 mg per ml, 10 ml vial ..... 32.00 Inj 9 mg per ml, 10 ml vial ..... 48.00	1 1 1 1	✓ Pamisol ✓ Pamidronate BNM ✓ Pamidronate BNM ✓ Pamidronate BNM
127	LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE (amendment to presentation description) Oral (viscous) soln 2% Viscous soln 2% ..... 55.00	200 ml	✓ Xylocaine Viscous
129	FENTANYL (amendment to presentation description) a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency Transdermal patch 12.5 mcg per hour ..... 8.90 Transdermal patch 25 mcg per hour ..... 9.15 Transdermal patch 50 mcg per hour ..... 11.50 Transdermal patch 75 mcg per hour ..... 13.60 Transdermal patch 100 mcg per hour ..... 14.50	5 5 5 5 5	✓ Mylan Fentanyl Patch ✓ Mylan Fentanyl Patch ✓ Mylan Fentanyl Patch ✓ Mylan Fentanyl Patch ✓ Mylan Fentanyl Patch
131	MIANSERIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency (addition of endorsement) Tab 30 mg – Subsidy by endorsement ..... 24.86	30	✓ Tolvon
<b>Subsidised for patients who were taking mianserin hydrochloride prior to 1 July 2014 and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of mianserin hydrochloride. Note that supply of mianserin hydrochloride is being discontinued in New Zealand and it is anticipated that there will be no stock of mianserin available beyond February 2015.</b>			

Check your Schedule for full details Schedule page ref	Subsidy (Mnfr's price) \$	Per	Brand or Generic Mnfr ✓ fully subsidised
---	---------------------------------	-----	--

### Changes to Restrictions – effective 1 July 2014 (continued)

131	FLUOXETINE HYDROCHLORIDE – <b>Brand switch fee payable (Pharmacode 2461102)</b> Tab dispersible 20 mg, scored – Subsidy by endorsement ..... 2.50	30	✓ <b>Arrow-Fluoxetine</b>
	Subsidised by endorsement		
	1) When prescribed for a patient who cannot swallow whole tablets or capsules and the prescription is endorsed accordingly; or		
	2) When prescribed in a daily dose that is not a multiple of 20 mg in which case the prescription is deemed to be endorsed.		
	Note – Tablets should be combined with capsules to facilitate incremental 10 mg doses.		
	* Cap 20 mg ..... 1.74	90	✓ <b>Arrow-Fluoxetine</b>
139	METOCLOPRAMIDE HYDROCHLORIDE (amendment to presentation description) * Inj 5 mg per ml, 2 ml <b>ampoule</b> – Up to 5 inj available on a PSO. 4.50	10	✓ <b>Pfizer</b>
142	OLANZAPINE – Safety medicine; prescriber may determine dispensing frequency (amendment to presentation description)		
	Tab orodispersible Wafer 5 mg ..... 6.36	28	
	(102.19)		Zyprexa Zydis
	Tab orodispersible Wafer 10 mg ..... 8.76	28	
	(204.37)		Zyprexa Zydis
146	BUSPIRONE HYDROCHLORIDE (addition of Stat)		
	* Tab 5 mg ..... 28.00	100	✓ <b>Pacific Buspirone</b>
	* Tab 10 mg ..... 17.00	100	✓ <b>Pacific Buspirone</b>
165	IMATINIB MESILATE		
	* Cap 100 mg – No patient co-payment payable		
	– <b>Brand switch fee payable (Pharmacode 2461099)</b> ..... 298.90	60	✓ <b>Imatinib-AFT</b>
	Tab 100 mg - Special Authority see SA14600643		
	– [Xpharm] ..... 2,400.00	60	✓ <b>Glivec</b>

► **SA14600643** Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes – Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz>, and prescriptions should be sent to:

The CML/GIST Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 916 7571
PO Box 10 254	Email: <a href="mailto:mary.chesterfieldcmlgisticordinator@pharmac.govt.nz">mary.chesterfieldcmlgisticordinator@pharmac.govt.nz</a>
Wellington	

Special Authority criteria for CML – access by application

- Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- Maximum dose of 600 mg/day for accelerated or blast phase, and 400 mg/day for chronic phase CML.
- Subsidised for use as monotherapy only.
- Initial approvals valid seven months.
- Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Guideline on discontinuation of treatment for patients with CML

continued...

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

\* Three months or six months, as applicable, dispensed all-at-once

Check your Schedule for full details  
Schedule page ref

Subsidy  
(Mnfr's price)  
\$ Per

Brand or  
Generic Mnfr  
✓ fully subsidised

## Changes to Restrictions – effective 1 July 2014 (continued)

continued...

- a) Prescribers should consider discontinuation of treatment if after 6 months from initiating therapy a patient did not obtain a haematological response as defined as any one of the following three levels of response:
- 1) complete haematologic response (as characterised by an absolute neutrophil count (ANC)  $\geq 1.5 \times 10^9/L$ ; platelets  $> 100 \times 10^9/L$ ; absence of peripheral blood (PB) blasts; bone marrow (BM) blasts  $< 5\%$  (or FISH Ph + 0-35% metaphases); and absence of extramedullary disease); or
  - 2) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC)  $> 1.0 \times 10^9/L$ ; platelets  $> 20 \times 10^9/L$ ; absence of peripheral blood (PB) blasts; bone marrow (BM) blasts  $< 5\%$  (or FISH Ph + 0-35% metaphases); and absence of extramedullary disease); or
  - 3) return to chronic phase (as characterised by BM and PB blasts  $< 15\%$ ; BM and PB blasts and promyelocytes  $< 30\%$ ; PB basophils  $< 20\%$  and absence of extramedullary disease other than spleen and liver);
- b) Prescribers should consider discontinuation of treatment if after 18 months from initiating therapy a patient did not obtain a major cytogenetic response defined as 0-35% Ph + metaphases.

### Special Authority criteria for GIST – access by application

a) Funded for patients:

- a) with a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST); and
  - b) who have immunohistochemical documentation of c-kit (CD117) expression by the tumour.
- b) Maximum dose of 400 mg/day.  
c) Applications to be made and subsequent prescriptions can be written by an oncologist.  
d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

Note – Imatinib-AFT is not registered for the treatment of Gastro Intestinal Stromal Tumours (GIST). The Glivec brand of imatinib mesilate (supplied by Novartis) remains fully subsidised under special authority for patients with unresectable and/or metastatic malignant GIST, see SA1406 in Section B of the Pharmaceutical Schedule.

168	OCTREOTIDE (SOMATOSTATIN ANALOGUE) (amendment to chemical name)		
	Inj 50 mcg per ml, 1 ml .....	19.24	5 <b>Octreotide MaxRx</b>
	Inj 100 mcg per ml, 1 ml .....	36.38	5 <b>Octreotide MaxRx</b>
	Inj 500 mcg per ml, 1 ml .....	131.25	5 <b>Octreotide MaxRx</b>
172	ETANERCEPT – Special Authority see SA1450+372 – Retail pharmacy (addition to Special Authority)		
	Inj 25 mg .....	949.96	4 ✓ <b>Enbrel</b>
	Inj 50 mg autoinjector .....	1,899.92	4 ✓ <b>Enbrel</b>
	Inj 50 mg prefilled syringe .....	1,899.92	4 ✓ <b>Enbrel</b>

► SA1450+372 Special Authority for Subsidy

**Initial application – pyoderma gangrenosum – only from a Dermatologist. Approvals valid for 4 months for applications meeting the following criteria:**

**All of the following;**

1. Patient has pyoderma gangrenosum\*; and
2. Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, cyclosporine, azathioprine, or methotrexate) and not received an adequate response; and
3. A maximum of 4 doses.

**Renewal – pyoderma gangrenosum – only from a Dermatologist or a Practitioner on the recommendation of a Dermatologist. Approvals valid for 4 months for applications meeting the following criteria:**

**All of the following;**

1. Patient has shown clinical improvement; and
2. Patient continues to require treatment; and
3. A maximum of 4 doses.

\* Note: Indications marked with \* are Unapproved Indications (refer to Section A: General Rules, Part I (Interpretations and Definitions) and Part V (Miscellaneous Provisions) rule 5.5).



Check your Schedule for full details Schedule page ref	Subsidy (Mnfr's price) \$	Per	Brand or Generic Mnfr ✓ fully subsidised
---	---------------------------------	-----	--

### Changes to Restrictions – effective 1 July 2014 (continued)

177	ADALIMUMAB – Special Authority see <b>SA14491371</b> – Retail pharmacy (addition to Special Authority)		
	Inj 20 mg per 0.4 ml prefilled syringe .....	1,799.92	2 ✓Humira
	Inj 40 mg per 0.8 ml prefilled pen .....	1,799.92	2 ✓HumiraPen
	Inj 40 mg per 0.8 ml prefilled syringe .....	1,799.92	2 ✓Humira

▶ **SA14491371** Special Authority for Subsidy

**Initial application – pyoderma gangrenosum – only from a Dermatologist. Approvals valid for 4 months for applications meeting the following criteria:**

**All of the following;**

1. Patient has pyoderma gangrenosum\*; and
2. Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, cyclosporine, azathioprine, or methotrexate) and not received an adequate response; and
3. A maximum of 4 doses.

**Renewal – pyoderma gangrenosum – only from a Dermatologist or a Practitioner on the recommendation of a Dermatologist. Approvals valid for 4 months for applications meeting the following criteria:**

**All of the following;**

1. Patient has shown clinical improvement; and
2. Patient continues to require treatment; and
3. A maximum of 4 doses.

\* Note: Indications marked with \* are Unapproved Indications (refer to Section A: General Rules, Part I (Interpretations and Definitions) and Part V (Miscellaneous Provisions) rule 5.5).

186	CYCLOSPORIN <b>CICLOSPORIN</b> (amendment to chemical name)		
	Cap 25 mg .....	44.63	50 ✓Neoral
	Cap 50 mg .....	88.91	50 ✓Neoral
	Cap 100 mg .....	177.81	50 ✓Neoral
	Oral liq 100 mg per ml .....	198.13	50 ml OP ✓Neoral
196	DEXAMETHASONE WITH NEOMYCIN <b>SULPHATE</b> AND POLYMYXIN B <b>SULPHATE</b> (amendment to chemical name)		
	* Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin B sulphate 6,000 u per g .....	5.39	3.5 g OP ✓Maxitrol
	* Eye drops 0.1% with neomycin sulphate 0.35% and polymyxin B sulphate 6,000 u per ml .....	4.50	5 ml OP ✓Maxitrol
196	DICLOFENAC SODIUM (amendment to presentation description)		
	* Eye drops <b>0.1% 1 mg per ml</b> .....	13.80	5 ml OP ✓Voltaren Ophtha
196	LODOXAMIDE <b>TROMETAMOL</b> (amendment to chemical name)		
	Eye drops 0.1% .....	8.71	10 ml OP ✓Lomide
196	BETAXOLOL <b>HYDROCHLORIDE</b> (amendment to chemical name)		
	* Eye drops 0.25% .....	11.80	5 ml OP ✓Betoptic S
	* Eye drops 0.5% .....	7.50	5 ml OP ✓Betoptic
196	TIMOLOL <b>MALEATE</b> (amendment to chemical name)		
	* Eye drops 0.25% .....	1.45	5 ml OP ✓Arrow-Timolol
	* Eye drops 0.5% .....	1.45	5 ml OP ✓Arrow-Timolol

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

\* Three months or six months, as applicable, dispensed all-at-once

Check your Schedule for full details  
Schedule page ref

Subsidy  
(Mnfr's price)  
\$ Per

Brand or  
Generic Mnfr  
✓ fully subsidised

### Changes to Restrictions – effective 1 July 2014 (continued)

197	<b>PILOCARPINE HYDROCHLORIDE</b> (amendment to chemical name)			
	* Eye drops 1% .....	4.26	15 ml OP	✓ <b>Isopto Carpine</b>
	* Eye drops 2% .....	5.35	15 ml OP	✓ <b>Isopto Carpine</b>
	* Eye drops 4% .....	7.99	15 ml OP	✓ <b>Isopto Carpine</b>

### Effective 1 June 2014

51	<b>PHOSPHORUS POTASSIUM BICARBONATE</b> (amendment to chemical name and presentation description) Tab eff 315 mg with sodium acid phosphate 1.937 g and sodium bicarbonate 350 mg <b>500 mg (16 mmol)</b> .....	82.50	100	✓ <b>Phosphate-Sandoz</b>
	For phosphate supplementation			
53	<b>CILAZAPRIL WITH HYDROCHLOROTHIAZIDE</b> * Tab 5 mg with hydrochlorothiazide 12.5 mg – <b>Brand switch fee payable (Pharmacode 2459299)</b> .....	10.72	100	✓ <b>Apo-Cilazapril/ Hydrochlorothiazide</b>
55	<b>ATENOLOL</b> (removal of s29) * Oral liq 25 mg per 5 ml .....	21.25	300 ml OP	✓ <b>Atenolol AFT</b> <del>s29</del>
	Restricted to children under 12 years of age.			
148	<b>ZOPICLONE – Safety medicine; prescriber may determine dispensing frequency</b> Tab 7.5 mg .....	11.90	500	✓ <b>Apo-Zopiclone</b>
204	<b>VANCOMYCIN ORAL SOLUTION (50 mg per ml)</b> Vancomycin 500 mg injection 10 vials Glycerol BP 40 ml Water to 100 ml (Only funded if prescribed for treatment of Clostridium difficile following metronidazole failure)			

### Effective 1 May 2014

58	<b>DILTIAZEM HYDROCHLORIDE</b> (stat re-instated)			
	* Tab 30 mg .....	4.60	100	✓ <b>Dilzem</b>
	* Tab 60 mg – For diltiazem hydrochloride oral liquid formulation refer page 201 .....	8.50	100	✓ <b>Dilzem</b>
	* Cap long-acting 120 mg .....	1.91	30	✓ <b>Cardizem CD</b>
		31.83	500	✓ <b>Apo-Diltiazem CD</b>
	* Cap long-acting 180 mg .....	7.56	30	✓ <b>Cardizem CD</b>
		47.67	500	✓ <b>Apo-Diltiazem CD</b>
	* Cap long-acting 240 mg .....	10.22	30	✓ <b>Cardizem CD</b>
		63.58	500	✓ <b>Apo-Diltiazem CD</b>
81	<b>OXYTOCIN</b> – Up to 5 inj available on a PSO (amendment to brand name) Inj 10 iu per ml, 1 ml ampoule .....	5.98	5	✓ <b>Oxytocin BNM- BNM</b>

Check your Schedule for full details Schedule page ref	Subsidy (Mnfr's price) \$	Per	Brand or Generic Mnfr ✓ fully subsidised
---	---------------------------------	-----	--

### Changes to Restrictions – effective 1 May 2014 (continued)

92	CEFALEXIN MONOHYDRATE (addition of note) Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 .....	8.50	100 ml	✓ Cefalexin Sandoz
----	--	------	--------	--------------------

**Note – Cefalexin grans for oral liq will not be funded in amounts more than 14 days treatment per dispensing**

	Grans for oral liq 250 mg per 5 ml – Wastage claimable – see rule 3.3.2 .....	11.50	100 ml	✓ Cefalexin Sandoz
--	--	-------	--------	--------------------

**Note – Cefalexin grans for oral liq will not be funded in amounts more than 14 days treatment per dispensing**

140	OLANZAPINE – Special Authority see SA14281428 – Retail pharmacy (amendment to Special Authority and presentation description) Safety medicine; prescriber may determine dispensing frequency			
	Inj 210 mg vial .....	280.00	1	✓ Zyprexa Relprevv
	Inj 300 mg vial .....	460.00	1	✓ Zyprexa Relprevv
	Inj 405 mg vial .....	560.00	1	✓ Zyprexa Relprevv

▶ SA14281428 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 12 months for applications meeting the following criteria:

**Either:**

- 1 The patient has had an initial Special Authority approval for risperidone depot injection or paliperidone depot injection; or
- 2 All of the following:
  - 2.1 The patient has schizophrenia; and
  - 2.2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
  - 2.3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications where the meeting the following criteria:

**Either:**

- 1 Both:
  - 1.1 The patient has had less than 12 months treatment with olanzapine depot injection; and
  - 1.2 There is no clinical reason to discontinue treatment; or
- 2 The initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic olanzapine depot injection.

Note – The patient should be monitored for post-injection syndrome for at least two hours after each injection.

140	RISPERIDONE – Special Authority see SA0926 1427 – Retail pharmacy (amendment to Special Authority and presentation description) Safety medicine; prescriber may determine dispensing frequency			
	Inj 25 mg per 2 ml vial .....	135.98	1	✓ Risperdal Consta
	Inj 37.5 mg per 2 ml vial .....	178.71	1	✓ Risperdal Consta
	Inj 50 mg per 2 ml vial .....	217.56	1	✓ Risperdal Consta

▶ SA14270926 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 12 months for applications meeting the following criteria:

**Either:**

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or olanzapine depot injection; or

*continued...*

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

\* Three months or six months, as applicable, dispensed all-at-once

Check your Schedule for full details  
Schedule page ref

Subsidy  
(Mnfr's price)  
\$

Per

Brand or  
Generic Mnfr  
✓ fully subsidised

## Changes to Restrictions – effective 1 May 2014 (continued)

*continued...*

2 All of the following:

- 2.1 The patient has schizophrenia or other psychotic disorder; and
- 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications **where the meeting the following criteria:**

Either:

1 Both:

- 1.1 The patient has had less than 12 months treatment with olanzapine depot injection; and
- 1.2 There is no clinical reason to discontinue treatment; or

2 The initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of **an atypical antipsychotic risperidone depot injection.**

Note – Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialling risperidone depot injection.

171	MYCOPHENOLATE MOFETIL – Special Authority see SA1041 – Retail pharmacy			
	Tab 500 mg – <del>Brand switch fee payable</del>			
	(Pharmacode 2452189).....	25.00	50	✓ <b>Cellcept</b>
	Cap 250 mg – <del>Brand switch fee payable</del>			
	(Pharmacode 2452189).....	25.00	100	✓ <b>Cellcept</b>
198	PARAFFIN LIQUID WITH WOOL FAT LIQUID (amendment to chemical and presentation descriptions)			
	* Eye oint 3% with wool fat liq 3% .....	3.63	3.5 g OP	✓ <b>Poly-Visc</b>

Check your Schedule for full details  
Schedule page ref

Subsidy  
(Mnfr's price)  
\$ Per

Brand or  
Generic Mnfr  
✓ fully subsidised

## Changes to Subsidy and Manufacturer's Price

Effective 1 July 2014

26	CLARITHROMYCIN (↓ subsidy) Tab 500 mg – Subsidy by endorsement ..... 10.40	14	✓ Apo-Clarithromycin
	a) Maximum of 14 tab per prescription		
	b) Subsidised only if prescribed for helicobacter pylori eradication and prescription is endorsed accordingly. Note – the prescription is considered endorsed if clarithromycin is prescribed in conjunction with a proton pump inhibitor and either amoxicillin or metronidazole.		
26	RANITIDINE – Only on a prescription (↓ subsidy) * Oral liq 100 mg per 5 ml ..... 4.92	300 ml	✓ Peptisoothe
37	URSODEOXYCHOLIC ACID – Special Authority see SA1383 – Retail pharmacy (↓ subsidy) Cap 250 mg – For ursodeoxycholic acid oral liquid formulation ..... 53.40	100	✓ Ursosan
42	CALCIUM CARBONATE (↓ subsidy) * Tab 1.25 g (500 mg elemental) ..... 5.38	250	✓ Arrow-Calcium
42	IRON POLYMALTOSE (↓ subsidy) * Inj 50 mg per ml, 2 ml ampoule ..... 15.22	5	✓ Ferrum H
53	DOXAZOSIN (↓ subsidy) * Tab 2 mg ..... 6.75 * Tab 4 mg ..... 9.67	500 500	✓ Apo-Doxazosin ✓ Apo-Doxazosin
55	LOSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE (↓ subsidy) Tab 50 mg with hydrochlorothiazide 12.5 mg ..... 2.18	30	✓ Arrow-Losartan & Hydrochlorothiazide
58	NIFEDIPINE (↓ subsidy) * Tab long-acting 30 mg ..... 3.75 * Tab long-acting 60 mg ..... 5.75	30 30	✓ Adefin XL ✓ Adefin XL
60	BENDROFLUMETHIAZIDE [BENDROFLUAZIDE] (↓ subsidy) * Tab 2.5 mg – Up to 150 tab available on a PSO ..... 5.48 May be supplied on a PSO for reasons other than emergency. * Tab 5 mg – Up to 150 tab available on a PSO ..... 8.95	500 500	✓ Arrow-Bendrofluazide ✓ Arrow-Bendrofluazide
61	SIMVASTATIN – See prescribing guideline (↓ subsidy) * Tab 10 mg ..... 0.95 * Tab 20 mg ..... 1.61 * Tab 40 mg ..... 2.83 * Tab 80 mg ..... 7.91	90 90 90 90	✓ Arrow-Simva 10mg ✓ Arrow-Simva 20mg ✓ Arrow-Simva 40mg ✓ Arrow-Simva 80mg
62	GLYCERYL TRINITRATE (↓ subsidy) * Patch 25 mg, 5 mg per day ..... 15.73 * Patch 50 mg, 10 mg per day ..... 18.62	30 30	✓ Nitroderm TTS ✓ Nitroderm TTS

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

\* Three months or six months, as applicable, dispensed all-at-once

Check your Schedule for full details Schedule page ref	Subsidy (Mnfr's price) \$	Per	Brand or Generic Mnfr ✓ fully subsidised
---	---------------------------------	-----	--

### Changes to Subsidy and Manufacturer's Price – effective 1 July 2014 (continued)

67	CLOTRIMAZOLE (↓ subsidy) * Crm 1%.....	0.52	20 g OP	✓ Clomazol
	a) Only on a prescription b) Not in combination			
74	PERMETHRIN (↓ subsidy) Lotn 5% .....	3.19	30 ml OP	✓ A-Scabies
90	DESMOPRESSIN ACETATE (↓ subsidy) * Nasal spray 10 mcg per dose – Retail pharmacy-Specialist.....	22.95	6 ml OP	✓ Desmopressin-PH&T
92	CEFAZOLIN – Subsidy by endorsement (↓ subsidy) Only if prescribed for dialysis or cellulitis in accordance with a DHB approved protocol and the prescription is endorsed accordingly. Inj 1 g vial .....	3.38	5	✓ AFT
93	CLARITHROMYCIN – Maximum of 500 mg per prescription; can be waived by Special Authority see SA1131 (↓ subsidy) Tab 250 mg .....	3.98	14	✓ Apo-Clarithromycin
94	AMOXICILLIN (↓ subsidy) Cap 500 mg .....	20.94 (26.50)	500	Alphamox
94	BENZYLPENICILLIN SODIUM (PENICILLIN G) (↓ subsidy) Inj 600 mg (1 million units) vial – Up to 5 inj available on a PSO .....	10.35	10	✓ Sandoz
95	FLUCLOXACILLIN (↓ subsidy) Inj 250 mg vial .....	8.80	10	✓ Flucloxin
	Inj 500 mg vial .....	9.20	10	✓ Flucloxin
	Inj 1 g vial – Up to 10 inj available on a PSO .....	11.60	10	✓ Flucloxin
95	DOXYCYCLINE (↓ subsidy) * Tab 100 mg – Up to 30 tab available on a PSO .....	6.75	250	✓ Doxine
96	CIPROFLOXACIN (↓ subsidy) Recommended for patients with any of the following: i) microbiologically confirmed and clinically significant pseudomonas infection; or ii) prostatitis; or iii) pyelonephritis; or iv) gonorrhoea. Tab 250 mg – Up to 5 tab available on a PSO .....	1.75	28	✓ Cipflox
	Tab 500 mg – Up to 5 tab available on a PSO .....	2.00	28	✓ Cipflox
	Tab 750 mg .....	3.75	28	✓ Cipflox
100	TERBINAFINE (↓ subsidy) * Tab 250 mg – For terbinafine oral liquid formulation .....	1.50	14	✓ Dr Reddy's Terbinafine

Check your Schedule for full details Schedule page ref	Subsidy (Mnfr's price) \$	Per	Brand or Generic Mnfr ✓ fully subsidised
---	---------------------------------	-----	--

### Changes to Subsidy and Manufacturer's Price – effective 1 July 2014 (continued)

112	ZIDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority see SA1364 – Retail pharmacy (↓ subsidy) Note – zidovudine [AZT] with lamivudine (combination tablets) counts as two anti-retroviral medications for the purposes of the anti-retroviral Special Authority. Tab 300 mg with lamivudine 150 mg .....	44.00	60	✓ <b>Alphapharm</b>
115	NORFLOXACIN – Subsidy by endorsement (↓ subsidy) Tab 400 mg .....	13.50	100	✓ <b>Arrow-Norfloxacina</b>
	Only if prescribed for a patient with an uncomplicated urinary tract infection that is unresponsive to a first line agent or with proven resistance to first line agents and the prescription is endorsed accordingly.			
116	NEOSTIGMINE METILSULFATE (↓ subsidy) Inj 2.5 mg per ml, 1 ml ampoule .....	98.00	50	✓ <b>AstraZeneca</b>
119	ALENDRONATE SODIUM – Special Authority see SA1039 – Retail pharmacy (↓ subsidy) * Tab 70 mg .....	12.90	4	✓ <b>Fosamax</b>
119	ALENDRONATE SODIUM WITH CHOLECALCIFEROL – Special Authority see SA1039 – Retail pharmacy (↓ subsidy) * Tab 70 mg with cholecalciferol 5,600 iu .....	12.90	4	✓ <b>Fosamax Plus</b>
128	PARACETAMOL (↓ subsidy) * Oral liq 250 mg per 5 ml .....	4.35	1,000 ml	✓ <b>Paracare Double Strength</b>
	a) Up to 100 ml available on a PSO b) Not in combination			
131	AMITRIPTYLINE – Safety medicine; prescriber may determine dispensing frequency (↓ subsidy) Tab 10 mg .....	1.68	100	✓ <b>Arrow Amitriptyline</b>
138	RIZATRIPTAN (↓ subsidy) Tab orodispersible 10 mg .....	8.10	30	✓ <b>Rizamelt</b>
138	APREPITANT – Special Authority see SA0987 – Retail pharmacy (↓ subsidy) Cap 2 x 80 mg and 1 x 125 mg .....	100.00	3 OP	✓ <b>Emend Tri-Pack</b>
139	METOCLOPRAMIDE HYDROCHLORIDE (↓ subsidy) * Tab 10 mg .....	1.82	100	✓ <b>Metamide</b>
142	OLANZAPINE – Safety medicine; prescriber may determine dispensing frequency (↓ subsidy) Tab 2.5 mg .....	0.75	28	✓ <b>Zypine</b>
	Tab 5 mg .....	1.65	28	✓ <b>Zypine</b>
	Tab 10 mg .....	2.55	28	✓ <b>Zypine</b>
	Tab orodispersible 5 mg .....	1.75	28	✓ <b>Zypine ODT</b>
	Tab orodispersible 10 mg .....	3.05	28	✓ <b>Zypine ODT</b>
142	QUETIAPINE – Safety medicine; prescriber may determine dispensing frequency (↓ subsidy) Tab 25 mg .....	2.10	90	✓ <b>Quetapel</b>
	Tab 100 mg .....	4.20	90	✓ <b>Quetapel</b>
	Tab 200 mg .....	7.20	90	✓ <b>Quetapel</b>
	Tab 300 mg .....	12.00	90	✓ <b>Quetapel</b>

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

\* Three months or six months, as applicable, dispensed all-at-once

Check your Schedule for full details  
Schedule page ref

Subsidy  
(Mnfr's price)  
\$ Per

Brand or  
Generic Mnfr  
✓ fully subsidised

### Changes to Subsidy and Manufacturer's Price – effective 1 July 2014 (continued)

143	RISPERIDONE – Safety medicine; prescriber may determine dispensing frequency (↓ subsidy) Oral liq 1 mg per ml .....	9.75	30 ml	✓ <b>Risperon</b>
148	INTERFERON BETA-1-ALPHA – Special Authority see SA1062 – [Xpharm] (↓ subsidy) Inj 6 million iu prefilled syringe .....	1,153.03	4	✓ <b>Avonex</b>
	Injection 6 million iu per 0.5 ml pen injector .....	1,153.03	4	✓ <b>Avonex Pen</b>
	Inj 6 million iu per vial .....	1,153.03	4	✓ <b>Avonex</b>
154	NICOTINE (↓ subsidy) Nicotine will not be funded under the Dispensing Frequency Rule in amounts less than 4 weeks of treatment.			
	Patch 7 mg – Up to 28 patch available on a PSO .....	12.40	28	✓ <b>Habitrol</b>
	Patch 14 mg – Up to 28 patch available on a PSO .....	13.27	28	✓ <b>Habitrol</b>
	Patch 21 mg – Up to 28 patch available on a PSO .....	14.02	28	✓ <b>Habitrol</b>
	Lozenge 1 mg – Up to 216 loz available on a PSO .....	15.15	216	✓ <b>Habitrol</b>
	Lozenge 2 mg – Up to 216 loz available on a PSO .....	16.60	216	✓ <b>Habitrol</b>
	Gum 2 mg (Classic) – Up to 384 piece available on a PSO .....	26.13	384	✓ <b>Habitrol</b>
	Gum 2 mg (Fruit) – Up to 384 piece available on a PSO .....	26.13	384	✓ <b>Habitrol</b>
	Gum 2 mg (Mint) – Up to 384 piece available on a PSO .....	26.13	384	✓ <b>Habitrol</b>
	Gum 4 mg (Classic) – Up to 384 piece available on a PSO .....	30.12	384	✓ <b>Habitrol</b>
	Gum 4 mg (Fruit) – Up to 384 piece available on a PSO .....	30.12	384	✓ <b>Habitrol</b>
	Gum 4 mg (Mint) – Up to 384 piece available on a PSO .....	30.12	384	✓ <b>Habitrol</b>
162	PACLITAXEL – PCT only – Specialist (↓ subsidy) Inj 30 mg .....	45.00	5	✓ <b>Paclitaxel Ebewe</b>
	Inj 100 mg .....	19.02	1	✓ <b>Paclitaxel Ebewe</b>
	Inj 150 mg .....	26.69	1	✓ <b>Paclitaxel Ebewe</b>
	Inj 300 mg .....	36.53	1	✓ <b>Paclitaxel Ebewe</b>
	Inj 600 mg .....	73.06	1	✓ <b>Paclitaxel Ebewe</b>
	Inj 1 mg for ECP .....	0.17	1 mg	✓ <b>Baxter</b>
169	BICALUTAMIDE – Special Authority see SA0941 – Retail pharmacy (↓ subsidy) Tab 50 mg .....	4.90	28	✓ <b>Bicalaccord</b>
171	EXEMESTANE (↓ subsidy) * Tab 25 mg .....	14.50	30	✓ <b>Aromasin</b>
171	MYCOPHENOLATE MOFETIL – Special Authority see SA1041 – Retail pharmacy (↓ subsidy) Powder for oral liq 1 g per 5 ml – Subsidy by endorsement ....	187.25	165 ml OP	✓ <b>Cellcept</b>
	Mycophenolate powder for oral liquid is subsidised only for patients unable to swallow tablets and capsules, and when the prescription is endorsed accordingly.			
196	TIMOLOL (↓ subsidy) * Eye drops 0.25% .....	1.45	5 ml OP	✓ <b>Arrow-Timolol</b>
	* Eye drops 0.5% .....	1.45	5 ml OP	✓ <b>Arrow-Timolol</b>
197	BRIMONIDINE TARTRATE (↓ subsidy) * Eye Drops 0.2% .....	4.32	5 ml OP	✓ <b>Arrow-Brimonidine</b>



Check your Schedule for full details Schedule page ref		Subsidy (Mnfr's price) \$	Per	Brand or Generic Mnfr ✓ fully subsidised
---	--	---------------------------------	-----	--

### Changes to Subsidy and Manufacturer's Price – effective 1 June 2014

85	OESTRADIOL – See prescribing guideline (↑ price)			
	* Tab 1 mg .....	4.12 (11.10)	28 OP	Estrofem
	* Tab 2 mg .....	4.12 (11.10)	28 OP	Estrofem
86	OESTRADIOL WITH NORETHISTERONE – See prescribing guideline (↑ price)			
	* Tab 1 mg with 0.5 mg norethisterone acetate.....	5.40 (18.10)	28 OP	Kliovance
	* Tab 2 mg with 1 mg norethisterone acetate.....	5.40 (18.10)	28 OP	Kliogest
	* Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6).....	5.40 (18.10)	28 OP	Trisequens
159	METHOTREXATE (↓ subsidy)			
	* Tab 2.5 mg – PCT – Retail pharmacy-Specialist.....	3.82	30	✓Methoblastin
	* Tab 10 mg – PCT – Retail pharmacy-Specialist.....	26.25	50	✓Methoblastin
161	PROCARBAZINE HYDROCHLORIDE – PCT – Retail pharmacy-Specialist (↑ subsidy)			
	Cap 50 mg .....	498.00	50	✓Natulan <b>S29</b>
171	AZATHIOPRINE – Retail pharmacy-Specialist (↓ subsidy)			
	* Tab 50 mg – For azathioprine oral liquid formulation refer .....	13.22	100	✓Imuprine

### Effective 1 May 2014

24	LOPERAMIDE HYDROCHLORIDE – Up to 30 cap available on a PSO (↓ subsidy)			
	* Cap 2 mg .....	7.84	400	✓Diamide Relief
27	PANTOPRAZOLE (↓ subsidy)			
	* Tab EC 20 mg .....	0.75	28	✓Dr Reddy's Pantoprazole
	* Tab EC 40 mg .....	0.99	28	✓Dr Reddy's Pantoprazole
53	PHENOXYBENZAMINE HYDROCHLORIDE (↑ subsidy)			
	* Cap 10 mg .....	65.00	30	✓Dibenyline <b>S29</b>
59	CLONIDINE (↓ subsidy)			
	* Patch 2.5 mg, 100 mcg per day – Only on a prescription .....	12.80	4	✓Catapres-TTS-1
	* Patch 5 mg, 200 mcg per day – Only on a prescription .....	18.04	4	✓Catapres-TTS-2
	* Patch 7.5 mg, 300 mcg per day – Only on a prescription .....	22.68	4	✓Catapres-TTS-3
145	RISPERIDONE – Special Authority see SA1427 – Retail pharmacy (↓ subsidy)			
	Safety medicine; prescriber may determine dispensing frequency			
	Inj 25 mg vial .....	135.98	1	✓Risperdal Consta
	Inj 37.5 mg vial .....	178.71	1	✓Risperdal Consta
	Inj 50 mg vial .....	217.56	1	✓Risperdal Consta

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

\* Three months or six months, as applicable, dispensed all-at-once

## Changes to General Rules

### Effective 1 July 2014

- 13 “Nurse Prescriber-Precriber”, means a nurse registered with the Nursing Council and who holds a current annual practising certificate under the HPCA Act 2003 and who is approved by the Nursing Council to prescribe specified prescription medicines relating to his/her scope of practice including, for the avoidance of doubt, a Diabetes Nurse Prescriber.
- 13 “Nurse Prescriber” means a person who is a nurse practitioner in terms of the Medicines Act 1981, or a Diabetes Nurse Prescriber
- 13 “Optometrist”, means a person registered as an optometrist with the Optometrists and Dispensing Opticians Board, who holds a current annual practising certificate under the HPCA Act 2003, and who is approved by the Optometrists and Dispensing Opticians Board (in accordance with the Medicines (Designated Prescriber-Optometrists) Regulations 2005) to prescribe specified prescription medicines relating to his/her scope of practice.
- 13 “Optometrist” means a person registered with the Optometrists and Dispensing Opticians Board with a scope of practice that includes prescribing medicines (TPA endorsement)
- 23 5.8 Other DHB Funding  
A DHB may fund a Community Pharmaceutical outside of the mechanisms established in the Pharmaceutical Schedule, provided that:  
(a) specific prior agreement is obtained from PHARMAC for such funding;  
(b) any funding restrictions set out in the Pharmaceutical Schedule for those Community Pharmaceuticals are applied; and  
(c) a Contractor (including a DHB Hospital Pharmacy) may not claim a Subsidy for a Community Pharmaceutical dispensed and funded by the DHB via such an alternate mechanism.

### Effective 1 June 2014

- 14 “Safety Medicine” means a Community Pharmaceutical defined in Section A, Part IV of the Pharmaceutical Schedule.
- 18 PART IV  
DISPENSING FREQUENCY RULE
- Rule 3.1.4 of the Pharmaceutical Schedule** specifies, for community patients, a default period of supply for each Community Pharmaceutical (a Monthly Lot, 90 Day Lot, or for oral contraceptives 180 Day Lot). This Dispensing Frequency Rule defines patient groups or medicines eligible for more frequent dispensing periods for **Community Pharmaceuticals**; and the conditions that must be met to enable any **pharmacy** to claim for payment of handling fees for the additional dispensings made. **This Dispensing Frequency Rule relates to the circumstances in which a subsidy is payable for the Community Pharmaceutical; it does not override alternative dispensing frequencies as expressly stated in the Medicines Act, Medicines Regulations, Pharmacy Services Agreement or Pharmaceutical Schedule.**
- For the purposes of this Dispensing Frequency Rule:**  
“Frequent Dispensing” means:
- for a Community Pharmaceutical referred to in Section F Part I (the **Stat exemption**), dispensing in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot); or
  - for any other Community Pharmaceutical, dispensing in quantities less than a Monthly Lot
- “Safety Medicine”**
- an antidepressant listed under the “Cyclic and Related Agents” subheading;
  - an antipsychotic;

*continued...*

## Changes to General Rules – effective 1 June 2014 (continued)

*continued...*

- iii) a benzodiazepine;
- iv) a Class B Controlled Drug;
- v) codeine (includes combination products);
- vi) buprenorphine with naloxone; or
- vii) zopiclone.

The Dispensing Frequency Rule covers 5 different circumstances where Frequent Dispensing for patients may be clinically or otherwise appropriate. These are:

1. Long Term Condition (LTC) patients and Core patients, or
2. Persons in residential care, or
3. Trial periods, or
4. Safety and co-prescribed medicines, or
5. Pharmaceutical Supply Management.

NOTE patients who have had more frequent dispensings due to being "intellectually impaired, frail, infirm or unable to manage their medicines" will continue to receive the same frequency of dispensings until they are assessed to see if they are eligible for additional support under the Long Term Condition (LTC) service. The structure of the remainder fee payment provides funding for pharmacy to continue to provide more frequent dispensings for patients until they are assessed.

### 4.1 Frequent Dispensing for patients registered as Long Term Condition (LTC) or Core patients

If a Pharmacist considers Frequent Dispensing is required, then:

4.1.1 For LTC registered patients, Frequent Dispensing can occur as often as the dispensing Pharmacist deems appropriate to meet that patient's compliance and adherence needs;

4.1.2 For Core (non-LTC) patients, Frequent Dispensing should be no more often than a Monthly Lot. Pharmacists may authorise monthly dispensing on a Stat exemption Community Pharmaceutical without prescriber authority. If the Pharmacist considers more frequent (than monthly) dispensing is necessary, prescriber approval is required. Verbal approval from the prescriber is acceptable provided it is annotated by the Pharmacist on the Prescription and dated.

### 4.2 Frequent Dispensing for persons in residential care

4.2.1 ~~1-1~~ Community Pharmaceuticals can be dispensed in quantities of not less than 28 days to:

- any person whose placement in a Residential Disability Care Institution is funded by the Ministry of Health or a DHB; or
- a person assessed as requiring long term residential care services and residing in an age related residential care facility;

on the request of the person, their agent or caregiver or community residential service provider via Frequent Dispensing, provided the following conditions are met:

- a) the quantity or period of supply to be dispensed at any one time is not less than:
  - (i) 7 days' supply for a Class B Controlled Drug; or
  - (ii) 7 days' supply for clozapine in accordance with a Clozapine Dispensing Protocol; or
  - (iii) 28 days' supply for any other Community Pharmaceutical (except under conditions outlined in 4.3 (Trial periods) 4.2.2 below); and
- b) the prescribing Practitioner or dispensing Pharmacist has
  - i) included the name of the patient's residential placement or facility on the Prescription; and
  - ii) included the patient's NHI number on the Prescription; and
  - iii) specified the maximum quantity or period of supply to be dispensed at any one time.

4.2.2 ~~1-2~~ Any person meeting the criteria above who is being initiated onto a new medicine or having their dose changed is able to have their medicine dispensed in accordance with 4.3 (Trial periods) 4.2.2 below.

### 4.3 ~~4-2~~ Frequent Dispensing for Trial Periods or safety medicines

4.2.1—If a Pharmacist considers more frequent dispensing is required, this can occur as follows:

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

\* Three months or six months, as applicable, dispensed all-at-once

## Changes to General Rules – effective 1 June 2014 (continued)

continued...

- For Long Term Condition (LTC) patients dispensing frequency can occur as often as the dispensing pharmacist deems appropriate to meet the patients compliance and adherence needs;
- For non-LTC patients the dispensing frequency should be no more often than monthly. If Frequent Dispensing more often than monthly is necessary for non-LTC patients, prescriber approval is required.

Verbal approval is acceptable, provided that it is annotated by the pharmacist on the Prescription and dated.

NOTE this rule does not override alternative dispensing frequencies as expressly stated in the Medicines Act, Medicines Regulations, Pharmacy Services Agreement, Pharmaceutical Schedule or under rule 4.2.2 Trial Periods or rule 4.2.3 safety and co-prescribed medicines below.

Pharmacy would claim handling fees only on repeats under the above scenarios.

Prescribers can request, and pharmacists may dispense a higher frequency of dispensing in the following circumstances:

### 4.2.2 Trial Periods

**Frequent Dispensing can occur when a** The Community Pharmaceutical has been prescribed for a patient who requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only); and the prescribing Practitioner has:

- endorsed each Community Pharmaceutical on the Prescription clearly with the words "Trial Period", or "Trial"; and
- specified the maximum quantity or period of supply to be dispensed for each Community Pharmaceutical at any one time.

Patients who reside in Penal Institutions are not eligible for Trial Periods.

### 4.4 4.2.3 Frequent Dispensing for Safety and co-prescribed medicines

a) The Community Pharmaceutical is any of the following:

- i) a tri-cyclic antidepressant; or
- ii) an antipsychotic; or
- iii) a benzodiazepine; or
- iv) a Class B Controlled Drug; or
- v) codeine (includes combination products)
- vi) buprenorphine with naloxone

4.4.1 For a Safety Medicine to be dispensed via Frequent Dispensing, both **All** of the following conditions must be met:

- a) The Community Pharmaceutical has been prescribed for a patient who **The patient** is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in 4.2 4.1 above; **and**
- b) The prescribing Practitioner has:
  - i) Assessed clinical risk and determined the patient requires **increased** Frequent Dispensing; and
  - ii) Specified the maximum quantity or period of supply to be dispensed for each **Safety Medicine** Community Pharmaceutical at **each dispensing** any one time.

4.4.2 **A** The Community Pharmaceutical **that** is co-prescribed with a **Safety Medicine**, ~~one of the Community Pharmaceuticals listed in 4.2.3(a) above and has been prescribed for a patient who is not a resident in a Penal Institution, or one of the residential placements or facilities references in 4.1 above.~~ **which can be dispensed in accordance with rule 4.4.1 above, may be dispensed at the same frequency as the Safety Medicine if the. The dispensing pharmacist has:**

- Assessed clinical risk and determined the patient requires Frequent Dispensing **of their co-dispensed medicines; and**
- Annotated the Prescription with the amended dispensing quantity and frequency;

### 4.5 4.3 Frequent Dispensing for Pharmaceutical Supply Management

continued...

## Changes to General Rules – effective 1 June 2014 (continued)

*continued...*

- 4.5.1** ~~4.3.4~~ Frequent Dispensing may be required from time to time to manage stock supply issues or emergency situations. Pharmacists may dispense more frequently than the Schedule would otherwise allow when all of the following conditions are met:
- a) PHARMAC has approved and notified Pharmacists to annotate Prescriptions for a specified Community Pharmaceutical(s) "out of stock" without prescriber endorsement for a specified time; and
  - b) the dispensing Pharmacist has:
    - i) clearly annotated each of the approved Community Pharmaceuticals that appear on the Prescription with the words "out of stock" or "OOS"; and
    - ii) initialled the annotation in their own handwriting; and
    - iii) has complied with maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

Note – no claim shall be made to any DHB for subsidised dispensings under this rule where dispensing occurs more frequently than specified by PHARMAC to manage the supply management issue.

## Effective 1 May 2014

- 11 "Diabetes Nurse Prescriber", means a registered nurse **who is a Designated Prescriber—Registered Nurses Practising in Diabetes Health as determined by the Nursing Council of New Zealand to practice** practising in diabetes health **and who** has authority to prescribe specified diabetes medicines in accordance with regulations made under the Medicines Act 1981, ~~and who is practicing in an approved DHB demonstration site.~~
- 13 "Practitioner", means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Prescriber, an Optometrist, **a Quitcard Provider** or a Pharmacist Prescriber as those terms are defined in the Pharmaceutical Schedule.
- 14 "**Quitcard Provider**" means a person registered with the Ministry of Health as a **Quitcard Provider**.
- 18 3.6 Diabetes Nurse Prescribers' Prescriptions  
The following provisions apply to every Prescription written by a Diabetes Nurse Prescriber:
- 3.6.1 Prescriptions written by a Diabetes Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
- a) a Community Pharmaceutical classified as a Prescription Medicine or a Restricted Medicine and which a Diabetes Nurse Prescribers is permitted under regulations to prescribe; or
  - b) any other Community Pharmaceutical listed below:  
aspirin, blood glucose diagnostic test meter, blood glucose diagnostic test strip, blood ketone diagnostic test meter, glucagon hydrochloride inj 1 mg syringe kit, insulin pen needles, insulin syringes disposable with attached needle, insulin pump accessories, insulin pump infusion set, insulin pump reservoir, ketone blood beta-ketone electrodes test strip, nicotine, sodium nitroprusside test strip,
- 3.6.2 Any Diabetes Nurse Prescribers' prescription for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).  
~~Note: A list of Diabetes Nurse Prescribers will be published periodically in the Update of the Pharmaceutical Schedule for the duration of an initial pilot scheme. After this period there will be no approved DHB demonstration sites and hence no Diabetes Nurse Prescribers.~~
- 18 **3.7 Quitcard Providers' Prescriptions**  
**Prescriptions written by a Quitcard Provider will only be subsidised where they are:**
- a) **for any of the following Community Pharmaceuticals: nicotine patches, nicotine lozenges or nicotine gum; and**
  - b) **written on a Quitcard.**

*continued...*

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

\* Three months or six months, as applicable, dispensed all-at-once

Check your Schedule for full details  
Schedule page ref

Subsidy  
(Mnfr's price)  
\$ Per

Brand or  
Generic Mnfr  
✓ fully subsidised

## Changes to Section I

Effective 1 July 2014

238	<p>BACILLUS CALMETTE-GUERIN VACCINE – [Xpharm] For infants at increased risk of tuberculosis. Note: Increased risk is defined as:</p> <ol style="list-style-type: none"> <li>1. living in a house or family with a person with current or past history of TB; or</li> <li>2. having one or more household members or carers who within the last 5 years lived in a country with a rate of TB &gt; or equal to 40 per 100,000 for 6 months or longer; or</li> <li>3. during their first 5 years will be living 3 months or longer in a country with a rate of TB &gt; or equal to 40 per 100,000.</li> </ol> <p>Note a list of countries with high rates of TB are available at <a href="http://www.health.govt.nz/tuberculosis">www.health.govt.nz/tuberculosis</a> (search for downloads) or <a href="http://www.bcgatlas.org/index.php">www.bcgatlas.org/index.php</a>.</p> <p>Inj Mycobacterium bovis BCG (Bacillus Calmette-Guerin), Danish strain 1331 vial with diluent.....0.00      10      ✓ <b>BCG Vaccine</b></p>
238	<p>DIPHTHERIA, TETANUS, PERTUSSIS AND INACTIVATED POLIO VACCINE – [Xpharm] For children aged 4 years old:</p> <p>Inj 30 IU diphtheria toxoid with 40 IU tetanus toxoid, 25 mcg pertussis toxoid, 25 mcg pertussis filamentous haemagglutinin, 8 mcg pertactin and 80 D-antigen units poliomyelitis virus in 0.5 ml syringe .....0.00      10      ✓ <b>Infanrix IPV</b></p> <p><b>Funded for any of the following</b></p> <ol style="list-style-type: none"> <li>1. A single dose for children up to the age of 7 who have completed primary immunisation; or</li> <li>2. A course of up to four vaccines is funded for catch up programmes for children (to the age of 7 years) to complete full primary immunisation.</li> <li>3. An additional four doses (as appropriate) are funded for (re-)immunisation for patients post HSCT, or chemotherapy; pre- or post splenectomy; pre- or post solid organ transplant, renal dialysis and other severely immunosuppressive regimens.</li> <li>4. Five doses will be funded for children requiring solid organ transplantation.</li> </ol> <p><b>Note – Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.</b></p>
238	<p>DIPHTHERIA, TETANUS, PERTUSSIS, POLIO, HEPATITIS B AND HAEMOPHILUS INFLUENZAE TYPE B VACCINE For children aged 6 weeks, 3 months, and 5 months old:</p> <p>Inj 30 IU diphtheria toxoid with 40 IU tetanus toxoid, 25 mcg pertussis toxoid, 25 mcg pertussis filamentous haemagglutinin, 8 mcg pertactin, 80 D-AgU polio virus, 10 mcg hepatitis B surface antigen in 0.5 ml syringe and inj 10 mcg haemophilus influenzae .....0.00      10      ✓ <b>Infanrix-hexa</b></p> <p><b>Funded for patients meeting any of the following criteria:</b></p> <ol style="list-style-type: none"> <li>1. Up to four doses for children up to the age of 10 for primary immunisation; or</li> <li>2. Up to four doses (as appropriate) for children are funded for (re)immunisation for patients post HSCT, or chemotherapy; pre- or post splenectomy; renal dialysis and other severely immunosuppressive regimens; or</li> <li>3. Up to five doses for children up to the age of 10 receiving solid organ transplantation.</li> </ol> <p><b>Note – A course of up to four vaccines is funded for catch up programmes for children (to the age of 10 years) to complete full primary immunisation. Please refer to the Immunisation Handbook for the appropriate schedule for catch up programmes.</b></p>

Check your Schedule for full details Schedule page ref	Subsidy (Mnfr's price) \$	Per	Brand or Generic Mnfr ✓ fully subsidised
---	---------------------------------	-----	--

## Changes to Section I – effective 1 July 2014 (continued)

238	DIPHTHERIA, TETANUS AND PERTUSSIS VACCINE – [Xpharm] For children aged 11 years old and pregnant women between gestational weeks 28 and 38 during epidemics. Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid, 8 mcg pertussis toxoid, 8 mcg pertussis filamentous haemagglutinin and 2.5 mcg pertactin in 0.5 ml syringe ..... 0.00	1 10	✓ <b>Boostrix</b> ✓ <b>Boostrix</b>
-----	--	---------	--

**Funded for any of the following:**

1. A single vaccine for pregnant woman between gestational weeks 28 and 38 during epidemics.
2. A course of up to four vaccines is funded for children from age 7 to 17 years inclusive to complete full primary immunisation.
3. A course of up to four vaccines is funded for children from age 7 to 17 years inclusive for reimmunisation following immunosuppression

**Note – Tdap is not registered for patients aged less than 10 years.**

**Note – Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.**

238	HAEMOPHILUS INFLUENZAE TYPE B VACCINE – [Xpharm] For children aged 15 months old, children aged 0-16 years with functional asplenia, or for patients pre- and post-splenectomy. Inj 10 mcg vial with diluent syringe ..... 0.00	1	✓ <b>Act-HIB</b>
-----	---	---	------------------

**One dose for patients meeting any of the following:**

1. For primary vaccination in children; or
2. For revaccination of children following immunosuppression; or
3. For children aged 0-18 years with functional asplenia; or
4. For patients pre- and post-splenectomy; or
5. For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.

238	HEPATITIS A VACCINE – [Xpharm] A single dose of hepatitis A vaccine is funded for the following eligible patients on the recommendation of the statutory medical officer of health: • Children, aged 1-4 years inclusive who reside in Ashburton district; or • Children, aged 1-9 years inclusive, residing in Ashburton; or • Children, aged 1-9 years inclusive, who attend a preschool or school in Ashburton; or • Children, aged older than 9 years, who attend a school with children aged 9 years old or less, in Ashburton Inj 1440 ELISA units in 1 ml syringe ..... 0.00 Inj 720 ELISA units in 1 ml syringe ..... 0.00	1 1	✓ <b>Havrix</b> ✓ <b>Havrix Junior</b>
-----	---	--------	---

**Funded for patients meeting any of the following criteria:**

1. Two vaccinations for use in transplant patients; or
2. Two vaccinations for use in children with chronic liver disease; or
3. One dose of vaccine for close contacts of known hepatitis A cases; or
4. One dose for any of the following on the recommendation of a local medical officer of health
  - 4.1. Children, aged 1-4 years inclusive who reside in Ashburton district; or
  - 4.2. Children, aged 1-9 years inclusive, residing in Ashburton; or
  - 4.3. Children, aged 1-9 years inclusive, who attend a preschool or school in Ashburton; or
  - 4.4. Children, aged older than 9 years, who attend a school with children aged 9 years old or less, in Ashburton funded for children in Ashburton.

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

\* Three months or six months, as applicable, dispensed all-at-once

Check your Schedule for full details  
Schedule page ref

Subsidy  
(Mnfr's price)  
\$ Per

Brand or  
Generic Mnfr  
✓ fully subsidised

## Changes to Section I – effective 1 July 2014 (continued)

238	HEPATITIS B RECOMBINANT VACCINE – [Xpharm] For household or sexual contacts of known hepatitis B carriers, or for children born to mothers who are hepatitis B surface antigen (HBsAg) positive: Inj 5 mcg per 0.5 ml vial ..... 0.00      1      ✓ <u>HBvaxPRO</u> Inj 10 mcg per 1 ml vial ..... 0.00      1      ✓ <u>HBvaxPRO</u>
-----	--

**Funded for any of the following criteria:**

1. for household or sexual contacts of known hepatitis B carriers; or
2. for children born to mothers who are hepatitis B surface antigen (HBsAg) positive; or
3. for children up to the age of 18 years inclusive who are considered not to have achieved a positive serology and require additional vaccination; or
4. for HIV positive patients; or
5. for hepatitis C positive patients; or
6. for patients following immunosuppression; or
7. for transplant patients.

Inj 40 mcg per 1 ml vial ..... 0.00	1	✓ <u>HBvaxPRO</u>
-------------------------------------	---	-------------------

**Funded for any of the following criteria:**

1. for dialysis patients; or
2. for liver or kidney transplant patient.

238	HUMAN PAPILLOMA VIRUS (6,11,16 AND 18) VACCINE [HPV] – [Xpharm] Three doses over a period of six months for young women aged between 12 and 19 years old: Inj 120 mcg in 0.5 ml syringe ..... 0.00      10      ✓ <u>Gardasil</u>
-----	---

**Maximum of three doses for patient meeting any of the following criteria:**

1. Females aged under 20 years old; or
2. Patients aged under 26 years old with confirmed HIV infection; or
3. For use in transplant patients.

239	<b>ADULT DIPHTHERIA AND TETANUS VACCINE – [Xpharm]</b> For adults aged 45 and 65 years old, and for susceptible individuals: Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid in 0.5 ml ..... 0.00      5      ✓ <u>ADT Booster</u>
-----	---

**Any of the following:**

1. For vaccination of patients aged 45 and 65 years old; or
2. For vaccination of previously unimmunised or partially immunised patients; or
3. For revaccination following immunosuppression; or
4. For boosting of patients with tetanus-prone wounds; or
5. For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.

**Note – Please refer to the immunisation handbook for appropriate schedule for catch-up programmes.**

239	MEASLES, MUMPS AND RUBELLA VACCINE – [Xpharm] For children aged 15 months and 4 years old or for any individual susceptible to measles, mumps or rubella: Inj 1000 TCID50 measles, 12500 TCID50 mumps and 1000 TCID50 rubella vial with diluent 0.5 ml vial ..... 0.00      10      ✓ <u>M-M-R II</u>
-----	--

**A maximum of two doses for any patient meeting the following criteria:**

- 1 For primary vaccination in children; or
- 2 For revaccination following immunosuppression; or
- 3 For any individual susceptible to measles, mumps or rubella

**Note – Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.**



Check your Schedule for full details Schedule page ref	Subsidy (Mnfr's price) \$	Per	Brand or Generic Mnfr ✓ fully subsidised
---	---------------------------------	-----	--

## Changes to Section I – effective 1 July 2014 (continued)

- 239 MENINGOCOCCAL A, C, Y AND W-135 VACCINE – [Xpharm]  
For patients pre- and post-splenectomy or children aged 0-16 years with functional asplenia. For organisation and community based outbreaks.  
Inj 0.5 ml..... 0.00 1 ✓ **Menomune**  
Note – Menomune to be delisted from 1 October 2014.

- 239 MENINGOCOCCAL (GROUPS A,C,Y AND W-135) CONJUGATE VACCINE – [Xpharm]  
For patients pre- and post-splenectomy or children aged 0-16 years with functional asplenia. For organisation and community based outbreaks:  
Inj 4 mcg of each meningococcal polysaccharide conjugated to a total of approximately 48 mcg of diphtheria toxoid carrier per 0.5 ml vial..... 0.00 1 ✓ **Menactra**

### Any of the following:

1. Up to three doses for patients pre- and post splenectomy and patients with functional or anatomic asplenia; or
2. One dose every five years for patients with HIV, complement deficiency (acquired or inherited), functional or anatomic asplenia or pre or post solid organ transplant; or
3. One dose for close contacts of meningococcal cases; or
4. A maximum of two doses for bone marrow transplant patients; or
5. A maximum of two doses for patients following immunosuppression\*.

Note – children under seven years of age require a second dose three years after the first and then five yearly.

\*Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days.

- 239 MENINGOCOCCAL C CONJUGATE VACCINE – [Xpharm]  
Inj 10 mcg in 0.5 ml syringe ..... 0.00 1 ✓ **Neisvac-C**  
Inj 10 mcg in 0.5 ml syringe ..... 0.00 10 ✓ **Neisvac-C**

### Any of the following:

1. Up to three doses for patients pre- and post splenectomy and patients with functional or anatomic asplenia; or
2. One dose every five years for patients with HIV, complement deficiency (acquired or inherited), functional or anatomic asplenia or pre or post solid organ transplant; or
3. One dose for close contacts of meningococcal cases; or
4. A maximum of two doses for bone marrow transplant patients; or
5. A maximum of two doses for patients following immunosuppression\*.

Note – children under seven years of age require a second dose three years after the first and then five yearly.

\*Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days.

- 239 PNEUMOCOCCAL (PPV23) POLYSACCHARIDE VACCINE – [Xpharm]  
For patients pre- and post-splenectomy or children aged 0-16 years with functional asplenia:  
Inj 575 mcg in 0.5 ml vial  
(25 mcg of each 23 pneumococcal serotype) ..... 0.00 1 ✓ **Pneumovax 23**

### Either of the following:

1. Up to three doses for patients pre- or post-splenectomy or with functional asplenia; or
2. Up to two doses are funded for high risk children to the age of 18.

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

\* Three months or six months, as applicable, dispensed all-at-once

Check your Schedule for full details Schedule page ref	Subsidy (Mnfr's price) \$	Per	Brand or Generic Mnfr ✓ fully subsidised
---	---------------------------------	-----	--

### Changes to Section I – effective 1 July 2014 (continued)

240	POLIOMYELITIS VACCINE – [Xpharm] A primary course of three doses for previously unvaccinated individuals: Inj 80D antigen units in 0.5 ml syringe ..... 0.00	1	✓ <b>IPOL</b>
<p><b>Up to three doses for patients meeting either of the following:</b>  <b>1. For partially vaccinated or previously unvaccinated individuals; or</b>  <b>2. For revaccination following immunosuppression.</b></p> <p><b>Note – Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.</b></p>			
240	PNEUMOCOCCAL (PVC13) CONJUGATE VACCINE – [Xpharm] For high risk children under the age of 5 and those aged less than 16 years pre- or post-splenectomy or with functional asplenia: Inj 30.8 mcg in 0.5 ml syringe ..... 0.00	1 10	✓ <b>Prevenar 13</b> ✓ <b>Prevenar 13</b>
<p><b>Any of the following:</b>  <b>1. A primary course of four doses for previously unvaccinated individuals up to the age of 59 months inclusive; or</b>  <b>2. Up to three doses as appropriate to complete the primary course of immunisation for individuals under the age of 59 months who have received one to three doses of PCV10; or</b>  <b>3. One dose is funded for high risk children who have previously received four doses of PCV10; or</b>  <b>4. Up to an additional four doses (as appropriate) are funded for (re-)immunisation for patients with HIV, for patients post HSCT, or chemotherapy; pre- or post splenectomy; functional asplenia, pre- or post- solid organ transplant, renal dialysis and other severely immunosuppressive regimens up to the age of 18; or</b>  <b>5. For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.</b></p> <p><b>Note – Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes</b></p>			
240	PNEUMOCOCCAL VACCINE – [Xpharm] For children aged 6 weeks, 3 months, and 5 months, and 15 months old. Inj 0.5 ml ..... 0.00	1	✓ <b>Synflorix</b>
<p><b>Note – Synflorix inj 0.5 ml to be delisted from 1 October 2014.</b></p>			
240	ROTAVIRUS LIVE REASSORTANT ORAL VACCINE – [Xpharm] (new listing) Oral susp G1, G2, G3, G4, P1(8)11.5 million CCID50 units per 2 ml, tube ..... 0.00	10	✓ <b>RotaTeq</b>
<p>Maximum of three doses for patients meeting the following:  <b>1. First dose to be administered in infants aged under 15 weeks of age; and</b>  <b>2. No vaccination being administered to children aged 8 months or over.</b></p>			

Check your Schedule for full details  
Schedule page ref

Subsidy  
(Mnfr's price)  
\$ Per

Brand or  
Generic Mnfr  
✓ fully subsidised

### Changes to Section I – effective 1 July 2014 (continued)

240 VARICELLA VACCINE [CHICKEN POX VACCINE] – [Xpharm] (new listing)  
Inj 2,000 PFU vial with diluent..... 0.00 1 ✓ **Varilrix**

Maximum of two doses for any of the following:

1. For non-immune patients:
  - 1.1 with chronic liver disease who may in future be candidates for transplantation; or
  - 1.2 with deteriorating renal function before transplantation; or
  - 1.3 prior to solid organ transplant; or
  - 1.4 prior to any elective immunosuppression\*.
2. For patients at least 2 years after bone marrow transplantation, on advice of their specialist.
3. For patients at least 6 months after completion of chemotherapy, on advice of their specialist.
4. For HIV positive non immune to varicella with mild or moderate immunosuppression on advice of HIV specialist.
5. For patients with inborn errors of metabolism at risk of major metabolic decompensation, with no clinical history of varicella.
6. For household contacts of paediatric patients who are immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.
7. For household contacts of adult patients who have no clinical history of varicella and who are severely immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.

\* immunosuppression due to steroid or other immunosuppressive therapy must be for a treatment period of greater than 28 days

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

\* Three months or six months, as applicable, dispensed all-at-once

Check your Schedule for full details  
Schedule page ref

Subsidy  
(Mnfr's price)  
\$ Per

Brand or  
Generic Mnfr  
✓ fully subsidised

## Delisted Items

### Effective 1 July 2014

37	PANCREATIC ENZYME Cap EC 25,000 BP u lipase, 18,000 BP u amylase, 1,000 BP u protease.....	94.38	100	✓ Creon Forte
83	DEXAMETHASONE Dexamethasone injection will not be funded for oral use. * Inj 4 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO .....	12.90 (21.50)	5	Hospira
	* Inj 4 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO .....	17.98 (31.00)	5	Hospira
129	FLUOXETINE HYDROCHLORIDE * Tab dispersible 20 mg, scored – Subsidy by endorsement.....	2.50	30	✓ Fluox
	Subsidised by endorsement 1) When prescribed for a patient who cannot swallow whole tablets or capsules and the prescription is endorsed accordingly; or 2) When prescribed in a daily dose that is not a multiple of 20 mg in which case the prescription is deemed to be endorsed. Note: Tablets should be combined with capsules to facilitate incremental 10 mg doses.			
	* Cap 20 mg .....	1.62 (2.70)	84	Fluox

### Effective 1 June 2014

31	INSULIN PEN NEEDLES – Maximum of 100 dev per prescription * 31 g x 6 mm .....	10.50 (26.00)	100	NovoFine
54	CILAZAPRIL WITH HYDROCHLOROTHIAZIDE * Tab 5 mg with hydrochlorothiazide 12.5 mg.....	3.00	28	✓ Inhibace Plus
86	OESTRADIOL VALERATE – See prescribing guideline * Tab 1 mg .....	8.24	56	✓ Progynova
	* Tab 2 mg .....	8.24	56	✓ Progynova
	Note – Progynova tab 1 mg and 2 mg in 84 tab pack size remains listed.			
92	CEFTRIAXONE – Subsidy by endorsement a) Up to 5 inj available on a PSO b) Subsidised only if prescribed for a dialysis or cystic fibrosis patient, or the treatment of gonorrhoea, or the treatment of pelvic inflammatory disease, or the treatment of suspected meningitis in patients who have a known allergy to penicillin, and the prescription or PSO is endorsed accordingly.			
	Inj 500 mg vial .....	1.50 (2.70)	1	Veracol
	Inj 1 g vial .....	5.22 (10.49)	5	Aspen Ceftriaxone

Check your Schedule for full details Schedule page ref	Subsidy (Mnfr's price) \$	Per	Brand or Generic Mnfr ✓ fully subsidised
---	---------------------------------	-----	--

### Delisted Items – effective 1 June 2014 (continued)

94	AMOXYCILLIN Cap 250 mg .....	16.18	500	✓ Alphamox
	a) Up to 30 cap available on a PSO			
	b) Up to 10 x the maximum PSO quantity for RFPP – see rule 5.2.6			
112	ZIDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority SA1364 – Retail pharmacy Note – zidovudine [AZT] with lamivudine (combination tablets) counts as two anti-retroviral medications for the purposes of the anti-retroviral Special Authority. Tab 300 mg with lamivudine 150 mg .....	667.20	60	✓ Combivir
126	ROPINIROLE HYDROCHLORIDE ▲ Tab 0.25 mg .....	1.98 (6.20)	84	Ropin
	▲ Tab 1 mg .....	4.47 (15.95)	84	Ropin
	▲ Tab 2 mg .....	6.48 (24.95)	84	Ropin
	▲ Tab 5 mg .....	12.16 (38.00)	84	Ropin
209	CARBOHYDRATE SUPPLEMENT – Special Authority SA1373 – Hospital pharmacy [HP3] Powder .....	1.30 (12.00)	368 g OP	Moducal

### Effective 1 May 2014

38	LACTULOSE – Only on a prescription * Oral liq 10 g per 15 ml .....	7.68	1,000 ml	✓ Laevolac
	Note – Laevolac oral liq 10 g per 15 ml in the 500 ml pack size remains listed.			
50	COMPOUND ELECTROLYTES Powder for oral soln – Up to 10 sach available on a PSO .....	0.90	5	✓ Electral
52	ENALAPRIL MALEATE * Tab 5 mg .....	1.07	90	✓ m-Enalapril
	* Tab 10 mg .....	1.32	90	✓ m-Enalapril
	* Tab 20 mg – For enalapril maleate oral liquid formulation refer page 189 .....	1.72	90	✓ m-Enalapril
70	UREA * Crm 10% .....	1.65 (3.07)	100 g OP	Nutraplus
79	OXYTOCIN – Up to 5 inj available on a PSO Inj 5 iu per ml, 1 ml ampoule .....	4.75	5	✓ Syntocinon
	Inj 10 iu per ml, 1 ml ampoule .....	5.98	5	✓ Syntocinon

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

\* Three months or six months, as applicable, dispensed all-at-once

Check your Schedule for full details  
Schedule page ref

Subsidy  
(Mnfr's price)  
\$ Per

Brand or  
Generic Mnfr  
✓ fully subsidised

### Delisted Items – effective 1 May 2014 (continued)

86	LEVOTHYROXINE				
	* Tab 25 mcg.....	43.24	1,000	✓	Synthroid
	‡ Safety cap for extemporaneously compounded oral liquid preparations.				
	* Tab 50 mcg.....	45.00	1,000	✓	Synthroid
	‡ Safety cap for extemporaneously compounded oral liquid preparations.				
	Note – Synthroid in the 90 tablet pack size remain subsidised.				
108	LAMIVUDINE – Special Authority see SA1364 – Retail pharmacy				
	Tab 150 mg .....	52.50	60		3TC
		(153.60)			
117	TIAPROFENIC ACID				
	* Tab 300 mg .....	19.26	60	✓	Surgam
145	ZOPICLONE				
	Tab 7.5 mg .....	1.90	30	✓	Apo-Zopiclone
	Note – Apo-Zopiclone in the 500 tab pack size remains listed.				
149	METHOTREXATE				
	* Inj 25 mg per ml, 40 ml – PCT – Retail pharmacy				
	– Specialist.....	25.00	1	✓	DBL Methotrexate <b>S29</b>
192	PHARMACY SERVICES				
	* Brand switch fee.....	4.33	1 fee	✓	BSF Cellcept
207	ORAL FEED (POWDER) – Special Authority see SA1228 – Hospital pharmacy [HP3]				
	Powder (vanilla) .....	13.00	900 g OP	✓	Ensure
	Note – Ensure powder (vanilla) in the 850 g pack size remains listed.				

Check your Schedule for full details Schedule page ref	Subsidy (Mnfr's price) \$	Per	Brand or Generic Mnfr ✓ fully subsidised
---	---------------------------------	-----	--

## Items to be Delisted

### Effective 1 August 2014

27	PANTOPRAZOLE				
	* Tab EC 20 mg .....	0.75	28	✓ Dr Reddy's Pantoprazole	
	* Tab EC 40 mg .....	0.99	28	✓ Dr Reddy's Pantoprazole	

### Effective 1 September 2014

156	CYCLOPHOSPHAMIDE				
	Tab 50 mg – PCT – Retail pharmacy-Specialist.....	25.71	50	✓ Cycloblastin	
159	METHOTREXATE				
	* Tab 2.5 mg – PCT – Retail pharmacy-Specialist.....	3.82	30	✓ Methoblastin	
	* Tab 10 mg – PCT – Retail pharmacy-Specialist.....	26.25	50	✓ Methoblastin	
171	AZATHIOPRINE – Retail pharmacy-Specialist				
	* Tab 50 mg – For azathioprine oral liquid formulation refer.....	13.22	100	✓ Imuprine	
199	PHARMACY SERVICES – May only be claimed once per patient				
	* Brand switch fee.....	4.33	1 fee	✓ BSF Apo-Cilazapril/ Hydrochlorothiazide	
	The Pharmacode for BSF Apo-Cilazapril/Hydrochlorothiazide is 2459299.				

### Effective 1 October 2014

94	AMOXICILLIN				
	Cap 500 mg .....	20.94 (26.50)	500	Alphamox	
199	PHARMACY SERVICES – May only be claimed once per patient				
	* Brand switch fee.....	4.33	1 fee	✓ BSF Arrow-Fluoxetine ✓ BSF Imatinib-AFT	
	The Pharmacode for BSF Arrow-Fluoxetine is 2461102. The Pharmacode for BSF Imatinib-AFT is 2461099.				

### Effective 1 November 2014

53	PHENOXYBENZAMINE HYDROCHLORIDE				
	* Cap 10 mg .....	65.00 26.05	30 100	✓ Dibenylene S29 ✓ Dibenylene S29	
138	METOCLOPRAMIDE HYDROCHLORIDE WITH PARACETAMOL				
	Tab 5 mg with paracetamol 500 mg.....	6.77	60	✓ Paramax	

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

\* Three months or six months, as applicable, dispensed all-at-once

Check your Schedule for full details Schedule page ref	Subsidy (Mnfr's price) \$	Per	Brand or Generic Mnfr ✓ fully subsidised
---	---------------------------------	-----	--

### Items to be Delisted – effective 1 November 2014 (continued)

158	GEMCITABINE HYDROCHLORIDE – PCT only – Specialist			
	Inj 1 g .....	62.50	1	✓ Gemcitabine Actavis 1000
	Inj 200 mg .....	12.50	1	✓ Gemcitabine Actavis 200
187	TACROLIMUS – Special Authority see SA0669 – Retail pharmacy			
	Cap 0.5 mg .....	214.00	100	✓ Prograf
	Cap 1 mg .....	428.00	100	✓ Prograf
	Cap 5 mg – For tacrolimus oral liquid formulation refer page 201 .....	1,070.00	50	✓ Prograf

### Effective 1 December 2014

60	SPIRONOLACTONE			
	* Tab 100 mg .....	11.80	100	✓ Spirotone
71	WOOL FAT WITH MINERAL OIL – Only on a prescription			
	* Lotn hydrous 3% with mineral oil .....	1.40	250 ml OP	
		(3.50)		Hydroderm Lotion
		5.60	1,000 ml	
		(9.54)		Hydroderm Lotion
89	CARBIMAZOLE			
	Tab 5 mg .....	10.80	100	✓ AFT <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">S29</span>
130	OXYCODONE HYDROCHLORIDE			
	a) Only on a controlled drug form			
	b) No patient co-payment payable			
	c) Safety medicine; prescriber may determine dispensing frequency			
	Tab controlled-release 10 mg .....	6.75	20	✓ Oxydone BNM
	Tab controlled-release 20 mg .....	11.50	20	✓ Oxydone BNM
138	TROPISETRON			
	a) Maximum of 6 cap per prescription			
	b) Maximum of 3 cap per dispensing			
	c) Not more than one prescription per month.			
	Cap 5 mg .....	77.41	5	✓ Navoban
142	OLANZAPINE – Safety medicine; prescriber may determine dispensing frequency			
	Tab 10 mg .....	6.35	28	✓ Olanzine
	Tab orodispersible 5 mg .....	6.36	28	✓ Olanzine-D
	Tab orodispersible 10 mg .....	8.76	28	✓ Olanzine-D
214	PAEDIATRIC ORAL FEED – Special Authority see SA1379 – Hospital pharmacy [HP3]			
	Powder (vanilla) .....	20.00	900 g OP	✓ Pediasure
	Note – Pediasure powder (vanilla) in the 850 g pack size remains listed.			
215	RENAL ENTERAL FEED 2 KCAL/ML – Special Authority see SA1101 – Hospital pharmacy [HP3]			
	Liquid .....	6.08	500 ml OP	✓ Nepro RTH



Check your Schedule for full details Schedule page ref	Subsidy (Mnfr's price) \$	Per	Brand or Generic Mnfr ✓ fully subsidised
---	---------------------------------	-----	--

### Items to be Delisted – effective 1 December 2014 (continued)

215	RENAL ORAL FEED 2 KCAL/ML – Special Authority see SA1101 – Hospital pharmacy [HP3] Liquid.....	2.43	200 ml OP	✓ <b>Nepro (strawberry)</b> ✓ <b>Nepro (vanilla)</b>
-----	---	------	-----------	---

### Effective 1 January 2015

39	DANTHRON WITH POLOXAMER – Only on a prescription Note: Only for the prevention or treatment of constipation in the terminally ill. Oral liq 25 mg with poloxamer 200 mg per 5 ml..... Oral liq 75 mg with poloxamer 1 g per 5 ml.....	21.30 43.60	300 ml 300 ml	✓ <b>Pinorax</b> ✓ <b>Pinorax Forte</b>
46	OCTOCOG ALFA [RECOMBINANT FACTOR VIII] – [Xpharm] For patients with haemophilia, whose treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group. Inj 250 iu vial.....	250.00	1	✓ <b>Kogenate FS</b>
70	BETAMETHASONE VALERATE WITH CLIOQUINOL – Only on a prescription Oint 0.1% with clioquinol 3%.....	3.49 (4.90)	15 g OP	Betnovate-C
130	OXYCODONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency Tab controlled-release 80 mg .....	34.00	20	✓ <b>Oxydone BNM</b>
220	ORAL FEED (POWDER) – Special Authority see SA1228 – Hospital pharmacy [HP3] Powder (vanilla) .....	9.50	900 g OP	✓ <b>Fortisip</b>

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber.

\* Three months or six months, as applicable, dispensed all-at-once

# Index

Pharmaceuticals and brands

## Symbols

3TC ..... 54

## A

Act-HIB ..... 47

Adalimumab ..... 33

Adefin XL ..... 22, 37

Adenuric ..... 27

ADT Booster ..... 48

Adult diphtheria and tetanus vaccine ..... 48

Alendronate sodium ..... 39

Alendronate sodium with cholecalciferol ..... 39

Alphamox ..... 38, 53, 55

Amitriptyline ..... 39

Amoxicillin ..... 26, 29, 38, 55

Amoxicillin Actavis ..... 26

Amoxicillin ..... 28, 29, 53

Apo-Amoxi ..... 28

Apo-Cilazapril/Hydrochlorothiazide ..... 34

Apo-Clarithromycin ..... 37, 38

Apo-Diltiazem CD ..... 34

Apo-Doxazosin ..... 37

Apo-Zopiclone ..... 34, 54

Aprepitant ..... 39

Aromasin ..... 40

Arrow Amitriptyline ..... 39

Arrow-Bendrofluazide ..... 37

Arrow-Brimonidine ..... 40

Arrow-Calcium ..... 37

Arrow-Fluoxetine ..... 31

Arrow-Losartan & Hydrochlorothiazide ..... 37

Arrow-Norfloroxacin ..... 30, 39

Arrow-Ranitidine ..... 29

Arrow-Simva 10mg ..... 37

Arrow-Simva 20mg ..... 37

Arrow-Simva 40mg ..... 37

Arrow-Simva 80mg ..... 37

Arrow-Timolol ..... 33, 40

A-Scabies ..... 38

Aspen Ceftriaxone ..... 52

Atenolol ..... 34

Atenolol AFT ..... 34

Avonex ..... 40

Avonex Pen ..... 40

Azathioprine ..... 41, 55

## B

Bacillus calmette-guerin vaccine ..... 46

BCG Vaccine ..... 46

Bendroflumethiazide [Bendrofluazide] ..... 37

Benzylpenicillin sodium (penicillin g) ..... 29, 38

Betamethasone valerate with clioquinol ..... 57

Betaxolol ..... 33

Betaxolol hydrochloride ..... 33

Betnovate-C ..... 57

Betoptic ..... 33

Betoptic S ..... 33

Bicalaccord ..... 40

Bicalutamide ..... 40

Boostrix ..... 47

Brimonidine tartrate ..... 40

BSF Apo-Cilazapril/Hydrochlorothiazide ..... 27, 55

BSF Arrow-Fluoxetine ..... 26, 55

BSF Cellcept ..... 54

BSF Imatinib-AFT ..... 26, 55

Buspirone hydrochloride ..... 31

## C

Calcium carbonate ..... 37

Capecitabine ..... 26

Capecitabine Winthrop ..... 26

Capsaicin ..... 26

Carbimazole ..... 56

Carbohydrate supplement ..... 53

Cardizem CD ..... 34

Catapres-TTS-1 ..... 41

Catapres-TTS-2 ..... 41

Catapres-TTS-3 ..... 41

Cefalexin monohydrate ..... 35

Cefalexin Sandoz ..... 35

Cefazolin ..... 29, 38

Cefazolin sodium ..... 29

Ceftriaxone ..... 52

Cellcept ..... 36, 40

Ciclosporin ..... 33

Cilazapril with hydrochlorothiazide ..... 34, 52

Cilicaine ..... 30

Cipflox ..... 38

Ciprofloxacin ..... 38

Clarithromycin ..... 37, 38

Clomazol ..... 38

Clonidine ..... 41

Clotrimazole ..... 38

Combivir ..... 53

Compound electrolytes ..... 53

Compound hydroxybenzoate ..... 27

Creon Forte ..... 52

Cycloblastin ..... 28, 55

Cyclophosphamide ..... 28, 55

## D

Danthron with poloxamer ..... 57

DBL Methotrexate S29 ..... 54

Depo-Testosterone ..... 29

Desmopressin ..... 29

Desmopressin acetate ..... 29, 38

# Index

## Pharmaceuticals and brands

Desmopressin-PH&T.....	29, 38	Genotropin.....	29
Dexamethasone.....	52	Glivec.....	31
Dexamethasone with neomycin and polymyxin b sulphate.....	33	Glyceril trinitrate.....	37
Dexamethasone with neomycin sulphate and polymyxin b sulphate.....	33	<b>H</b>	
Dexamphetamine sulphate.....	26	Habitrol.....	40
Diamide Relief.....	41	Haemophilus influenzae type b vaccine.....	47
Diazoxide.....	22, 29	Havrix.....	47
Dibenyline s29.....	41, 55	Havrix Junior.....	47
Diclofenac sodium.....	33	HBvaxPRO.....	48
Diltiazem hydrochloride.....	34	Hepatitis A vaccine.....	47
Dilzem.....	34	Hepatitis B recombinant vaccine.....	48
Diphtheria and tetanus vaccine.....	48	Human papilloma virus (6,11,16 and 18) vaccine [hpv].....	48
Diphtheria, tetanus and pertussis vaccine.....	47	Humira.....	33
Diphtheria, tetanus, pertussis and inactivated polio vaccine.....	46	HumiraPen.....	33
Diphtheria, tetanus, pertussis, polio, hepatitis b and haemophilus influenzaE type b vaccine.....	46	Hydroderm Lotion.....	56
Doxazosin.....	37	Hyzaar.....	27
Doxine.....	30, 38	<b>I</b>	
Doxycycline.....	30, 38	Imatinib-AFT.....	31
Doxycycline hydrochloride.....	30	Imatinib mesilate.....	31
Dr Reddy's Pantoprazole.....	41, 55	Imuprine.....	41, 55
Dr Reddy's Terbinafine.....	38	Infanrix-hexa.....	46
<b>E</b>		Infanrix IPV.....	46
Electral.....	53	Inhibace Plus.....	52
Emend Tri-Pack.....	39	Insulin pen needles.....	52
Enalapril maleate.....	53	Interferon beta-1-alpha.....	40
Enbrel.....	32	Invega Sustenna.....	28
Ensure.....	54	IPOL.....	50
Estroferm.....	41	Iron polymaltose.....	29, 37
Etanercept.....	32	Isopto Carpine.....	34
Exemestane.....	40	<b>K</b>	
<b>F</b>		Ketoconazole.....	30
Febuxostat.....	27	Kliogest.....	41
Fentanyl.....	30	Kliovance.....	41
Ferrum H.....	29, 37	Kogenate FS.....	22, 57
Flucloxacillin.....	30, 38	<b>L</b>	
Flucloxacillin sodium.....	30	Lactulose.....	53
Flucloxin.....	30, 38	Laevolac.....	53
Fluox.....	52	Lamivudine.....	54
Fluoxetine hydrochloride.....	31, 52	Levothyroxine.....	54
Fortisip.....	26, 57	Lidocaine [lignocaine] hydrochloride.....	30
Fosamax.....	39	Lodoxamide.....	33
Fosamax Plus.....	39	Lodoxamide trometamol.....	33
<b>G</b>		Lomide.....	33
Gardasil.....	48	Loperamide hydrochloride.....	41
Gemcitabine Actavis 200.....	56	Losartan potassium with hydrochlorothiazide.....	27, 37
Gemcitabine Actavis 1000.....	56	<b>M</b>	
Gemcitabine hydrochloride.....	56	Maxitrol.....	33
		Measles, mumps and rubella vaccine.....	48
		Menactra.....	49

# Index

## Pharmaceuticals and brands

m-Enalapril .....	53
Meningococcal A, C, Y and W-135 vaccine .....	49
Meningococcal C conjugate vaccine .....	49
Meningococcal (groups A,C,Y and W-135) conjugate vaccine .....	49
Menomune .....	49
Metamide .....	39
Methoblastin .....	41, 55
Methotrexate .....	41, 54, 55
Metoclopramide hydrochloride .....	31, 39
Metoclopramide hydrochloride with paracetamol .....	55
Mianserin hydrochloride .....	30
M-M-R II .....	48
Moducal .....	53
Mycophenolate mofetil .....	36, 40
Mylan Fentanyl Patch .....	30
<b>N</b>	
Natulán s29 .....	41
Navoban .....	56
Neisvac-C .....	49
Neoral .....	33
Neostigmine metilsulfate .....	39
Nepro HP RTH .....	27
Nepro HP (strawberry) .....	28
Nepro HP (vanilla) .....	28
Nepro RTH .....	56
Nepro (strawberry) .....	57
Nepro (vanilla) .....	57
Nicotine .....	40
Nifedipine .....	22, 37
Nitroderm TTS .....	37
Nizoral .....	30
Norfloracin .....	30, 39
NovoFine .....	52
Nutraplus .....	53
<b>O</b>	
Octocog alfa [recombinant factor viii] .....	22, 57
Octreotide .....	26, 32
Octreotide MaxRx .....	32
Oestradiol .....	41
Oestradiol valerate .....	52
Oestradiol with norethisterone .....	41
Olanzapine .....	31, 35, 39, 56
Olanzine-D .....	56
Omnitrope .....	22
Oral feed (powder) .....	26, 54, 57
Oxycodone hydrochloride .....	26, 27, 56, 57
Oxydone BNM .....	56, 57
Oxytocin .....	34, 53
<b>P</b>	
Pacific Buspirone .....	31
Paclitaxel .....	40
Paclitaxel Ebewe .....	40
Paediatric oral feed .....	27, 56
Paliperidone .....	28
Pamidronate BNM .....	30
Pamidronate disodium .....	26, 30
Pamisol .....	26, 30
Pancreatic enzyme .....	52
Pantoprazole .....	41, 55
Paracare Double Strength .....	39
Paracetamol .....	39
Paraffin liquid with wool fat .....	36
Paramax .....	55
Pediasure .....	27, 56
Peptisooth .....	29, 37
Permethrin .....	38
Pharmacy services .....	26, 27, 54, 55
Phenoxybenzamine hydrochloride .....	28, 41, 55
Phosphate-Sandoz .....	34
Phosphorus .....	34
Pilocarpine .....	34
Pilocarpine hydrochloride .....	34
Pinorax .....	57
Pinorax Forte .....	57
Pneumococcal (ppv23) polysaccharide vaccine .....	49
Pneumococcal (pvc13) conjugate vaccine .....	50
Pneumococcal vaccine .....	50
Pneumovax 23 .....	49
Poliomyelitis vaccine .....	50
Poly-Visc .....	36
Prevenar 13 .....	50
Procaine penicillin .....	30
Procarbazine hydrochloride .....	41
Proglicem .....	29
Proglycem .....	22
Prograf .....	56
Progynova .....	52
<b>Q</b>	
Quetapel .....	39
Quetiapine .....	39
<b>R</b>	
Ranitidine .....	29, 37
Ranitidine hydrochloride .....	29
Renal enteral feed 1.8 kcal/ml .....	27
Renal enteral feed 2 kcal/m .....	56
Renal oral feed 1.8 kcal/ml .....	28
Renal oral feed 2 kcal/ml .....	57
Risperdal Consta .....	35, 41

# Index

## Pharmaceuticals and brands

Risperidone.....	35, 40, 41	Tolvon .....	30
Risperon .....	40	Trisequens .....	41
Rizamelt.....	39	Tropisetron .....	56
Rizatriptan.....	39	<b>U</b>	
Ropin.....	53	Urea.....	53
Ropinirole hydrochloride.....	53	Ursodeoxycholic acid .....	37
RotaTeq .....	50	Ursosan .....	37
Rotavirus live reassortant oral vaccine .....	50	<b>V</b>	
<b>S</b>		Vancomycin oral solution .....	34
Salicylic acid.....	29	Varicella vaccine [chicken pox vaccine] .....	51
Simvastatin .....	37	Varilrix .....	51
Somatropin [genotropin] .....	29	Veracol .....	52
Somatropin [omnitrope] .....	22	Voltaren Ophtha .....	33
Spironolactone.....	56	<b>W</b>	
Spirotone .....	56	Wool fat with mineral oil .....	56
Surgam.....	54	<b>X</b>	
Synflorix .....	50	Xylocaine Viscous .....	30
Synthroid .....	54	<b>Z</b>	
Syntocinon.....	53	Zantac.....	29
<b>T</b>		Zidovudine [azt] with lamivudine.....	39, 53
Tacrolimus.....	28, 56	Zopiclone .....	34, 54
Tacrolimus Sandoz .....	28	Zostrix.....	26
Terbinafine.....	38	Zypine.....	39
Testosterone cypionate .....	29	Zypine ODT .....	39
Tiaprofenic acid .....	54	Zyprexa Relprevv.....	35
Timolol .....	33, 40	Zyprexa Zydys.....	31
Timolol maleate.....	33		

New Zealand  
Permit No. 478



**Pharmaceutical Management Agency**

Level 9, 40 Mercer Street, PO Box 10-254, Wellington 6143, New Zealand


Phone: 64 4 460 4990 - Fax: 64 4 460 4995 - [www.pharmac.govt.nz](http://www.pharmac.govt.nz)

**Freephone Information line (9am-5pm weekdays) 0800 66 00 50**

**ISSN 1172-9376 (Print)**

**ISSN 1179-3686 (Online)**

While care has been taken in compiling this Update, Pharmaceutical Management Agency takes no responsibility for any errors or omissions and shall not be liable to any person for any damages or loss arising out of reliance by that person for any purpose on any of the contents of this Update. Errors and omissions brought to the attention of Pharmaceutical Management Agency will be corrected if necessary by an erratum or otherwise in the next edition of the Update.



New Zealand Government

**PHARMAC**  
Pharmaceutical Management Agency

If Undelivered, Return To: PO Box 10-254, Wellington 6143, New Zealand