

Medicines with possible brand changes

Therapeutic group	Medicine	Current funded brand(s)	What medicine is used for	ABA
Alimentary Tract and Metabolism	Calcitriol Cap 0.25 mcg	Calcitriol-AFT Calcitriol XL (S29)	Calcitriol is a medicine that is a form of vitamin D. It's used for people with severe kidney disease to lower their parathyroid hormone (PTH) levels.	5%
Alimentary Tract and Metabolism	Calcitriol Cap 0.5 mcg	Calcitriol-AFT Calcitriol XL (S29)	Calcitriol is a medicine that is a form of vitamin D. It's used for people with severe kidney disease to lower their parathyroid hormone (PTH) levels.	5%
Alimentary Tract and Metabolism	Calcium Gluconate Inj 10%	HamelN (S29)	Calcium gluconate is a medicine used to treat acute hypocalcaemia; hypocalcaemic tetany; hyperkalaemia with secondary cardiac toxicity; and hypermagnesaemia.	5%
Alimentary Tract and Metabolism	Iron (as Ferric Carboxymaltose) Inj 50 mg per ml, 10 ml vial	Ferinject	Iron (as ferric carboxymaltose) is an iron infusion used to treat iron-deficiency or anemia.	5%
Alimentary Tract and Metabolism	Pantoprazole Tab EC 20 mg	Panzop Relief	Pantoprazole is a medicine used to treat problems affecting the stomach and gut, such as indigestion, reflux and ulcers.	5%
Alimentary Tract and Metabolism	Pantoprazole Tab EC 40 mg	Panzop Relief	Pantoprazole is a medicine used to treat problems affecting the stomach and gut, such as indigestion, reflux and ulcers.	5%

Therapeutic group	Medicine	Current funded brand(s)	What medicine is used for	ABA
Alimentary Tract and Metabolism	Thiamine Hydrochloride Tab 50 mg	Thiamine multichem	Thiamine hydrochloride is used for the treatment and prophylaxis of vitamin B1 deficiency states including beriberi and Wernicke's encephalopathy.	5%
Anti-Infectives	Amphotericin B Liposomal inj 50 mg	AmBisome	Amphotericin B liposomal injection is a medicine used for the treatment and prophylaxis of serious systemic fungal infections.	5%
Anti-Infectives	Raltegravir potassium Tab 600 mg	Isentress HD	Raltegravir potassium is a medicine used for the treatment of HIV-1 infection in combination with other antiretroviral drugs.	5%
Blood and Blood Forming Organs	Plerixafor Inj 20 mg per ml	Mozobil	Plerixafor is a medicine used for the mobilisation of haematopoietic stem cells to peripheral blood for collection and subsequent autologous or allogenic transplantation in patients with lymphoma or multiple myeloma.	5%
Dermatologicals	Dimethicone Crm 5% (pack size greater than 100 g)	healthE Dimethicone 5%	Dimethicone crm 5% is used as a barrier to protect the skin against nappy rash, bedsores and urinary incontinence.	5%
Dermatologicals	Dimethicone Lotn – head lice suffocant	healthE Dimethicone 4% Lotion	Dimethicone lotn 4% is used to treat head lice.	5%
Dermatologicals	Ivermectin Tab 3 mg	Stromectol	Ivermectin is used to treat certain types of parasite infections, and for scabies when other treatments have not worked well.	5%

Therapeutic group	Medicine	Current funded brand(s)	What medicine is used for	ABA
Dermatologicals	Liquid paraffin with white soft paraffin Liquid paraffin 50% with white soft paraffin 50% ointment (pack size 100 g or less)	White Soft Liquid Paraffin AFT	Liquid paraffin with white soft paraffin is used as an emollient to manage dry skin conditions like eczema and psoriasis.	5%
Dermatologicals	Liquid paraffin with white soft paraffin Liquid paraffin 50% with white soft paraffin 50% ointment (pack size greater than 100 g)	White Soft Liquid Paraffin AFT	Liquid paraffin with white soft paraffin is used as an emollient to manage dry skin conditions like eczema and psoriasis.	5%
Dermatologicals	Sunscreens, propriety SPF 50+ or greater	Marine Blue Lotion SPF 50+	Sunscreen is used to help protect your skin from the sun's damaging ultraviolet (UV) light when outdoors.	5%
Musculoskeletal System	Teriparatide Inj 250 mcg per ml	Teriparatide - Teva	Teriparatide is a medicine used to treat osteoporosis (bone loss).	5%
Nervous System	Cyclizine Lactate Inj 50 mg per ml, 1 ml	Hameln	Cyclizine is used for nausea or vomiting caused by motion sickness, vertigo or Meniere's disease.	5%
Oncology Agents and Immunosuppressants	Bortezomib Inj 3.5 mg	DBL Bortezomib	Bortezomib is a medicine used to treat multiple myeloma	5%
Oncology Agents and Immunosuppressants	Carmustine Inj 100 mg vial	BiCNU	Carmustine is a medicine used to treat multiple myeloma, non-Hodgkin's lymphomas, and brain tumours	5%

Therapeutic group	Medicine	Current funded brand(s)	What medicine is used for	ABA
Oncology Agents and Immunosuppressants	Nilotinib Cap 150 mg	Tasigna	Nilotinib is a medicine used to treat newly diagnosed chronic phase Philadelphia chromosome-positive chronic myeloid leukaemia, chronic or accelerated phase Philadelphia chromosome-positive chronic myeloid leukaemia resistant or intolerant to previous therapy	5%
Oncology Agents and Immunosuppressants	Nilotinib Cap 200 mg	Tasigna	Nilotinib is a medicine used to treat newly diagnosed chronic phase Philadelphia chromosome-positive chronic myeloid leukaemia, chronic or accelerated phase Philadelphia chromosome-positive chronic myeloid leukaemia resistant or intolerant to previous therapy	5%
Respiratory System and Allergies	Icatibant Inj 10 mg per ml, 3 ml prefilled syringe	Firazyr	Icatibant is a medicine used to relieve acute attacks of hereditary angioedema (HAE) in patients with C1-esterase inhibitor deficiency	5%
Respiratory System and Allergies	Loratadine Tab 10 mg	Lorafix	Loratadine is an antihistamine used to treat and prevent allergies such as hay fever.	5%
Respiratory System and Allergies	Xylometazoline Nasal spray 0.1%	Any brand	Xylometazoline is used to help nasal congestion.	5%