

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Adalimumab	Juvenile idiopathic arthritis and fistulising Crohn's disease	Widened access
Amiloride	Cardiovascular (renal tubular diseases)	New listing
Blood glucose diagnostic test strip	Blood glucose testing	New listing
Blood ketone diagnostic test meter	Blood ketone testing	New listing
Cabergoline	Acromegaly	Widened access
Ketone blood beta-ketone electrodes	Blood ketone testing	New listing
Pegfilgrastim	Infections	New listing
Sodium hyaluronate	Dry eyes	New listing
Ticagrelor	Acute Coronary Syndromes	New listing
Ursodeoxycholic acid	Chronic intrahepatic cholestatic diseases	Widened access
Hyoscine (scopolamine) patches	Nausea and clozapine-induced hypersalivation	Widened access
Ceftriaxone sodium	Treatment of gonorrhoea and pelvic inflammatory disease	Widened access
Minocycline hydrochloride	Treatment for rosacea	Widened access
Moxifloxacin	Treatment of confirmed mycoplasma genitalium	Widened access
Lamivudine	To allow prophylaxis for at risk groups	Widened access
Tenofovir disoproxil fumarate	Decompensated cirrhosis and prevention of vertical transmission of HBV	Widened access
Valaciclovir	Treatment of herpes zoster in immune-compromised patients	Widened access
Antiretrovirals (9)	To provide prophylaxis for non-consensual intercourse	Widened access
Cefazolin sodium	Treatment of cellulitis in the community	Widened access
Pegylated interferon alpha-2a	Treatment post liver transplant for patients with hepatitis C	Widened access
Haemophilia Products (5)	Haemophilia	New listing

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Carbomer	Dry eyes	New listing
Macrogol 400 and propylene glycol	Dry eyes	New listing
Naltrexone	Alcohol Addiction	Widened access
Progesterone	Prevention of pre-term labour	New listing
Mianserin	Depression	Widened access
Buspirone	Anxiety	Widened access
Desmopressin	Diabetes insipidus and nocturnal enuresis	New listing
Boceprevir	Hepatitis C type 1	New listing
Pegylated interferon alpha-2a	Hepatitis C type 1	Widened access
Cerezyme	Gaucher's disease	Widened Access
Venlafaxine	Major depression, generalised anxiety disorder and socialised anxiety disorder	Widened access
Risedronate	Osteoporotic fractures and treatment of Paget's disease	New listing
Riluzole	ALS	New listing
Hepatitis A Vaccine	Hepatitis A	New listing
Methotrexate prefilled syringe	Pain Management	New listing (new presentation)
Valganciclovir	Organ rejection	Widened access
Amoxycillin, erythromycin ethyl succinate, phenoxymethylpenicillin (penicillin V) (3)	Rheumatic fever	Widened access
Blood ketone diagnostic test meter	Blood ketone testing	Widened access
Eltrombopag	Idiopathic thrombocytopenic purpura	New listing
Erlotinib	Alternative first-line treatment with a tyrosine kinase inhibitor	Widened access
Fluticasone with Salmeterol	Asthma	Widened access
Atomoxetine	ADHD patients	Widened access
Baclofen	For use in a programmable pump	New listing (new presentation)

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Ferrous sulphate	Treatment and prophylaxis of iron deficiency anaemia	New listing (new presentation)
Paliperidone Palmitate	Treatment of schizophrenia in adults	New listing
Febuxostat	Gout	New listing

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Adalimumab	Pyoderma gangrenosum	Widened access
Diazoxide Oral liquid	Hypoglycaemia caused by hyperinsulinism	New listing (new presentation)
Etanercept	Pyoderma gangrenosum	Widened access
Hepatitis A vaccine	Prevent hepatitis A in high-risk patients	Widened access
Meningococcal C vaccine	Prevent meningococcal C in high-risk patients	New listing (new presentation)
Rotavirus vaccine	Prevent rotavirus in children	New listing
Varicella vaccine	Prevent chickenpox in high risk patients and household contacts	New listing
Rifaximin	Hepatic encephalopathy	New listing
Azacitidine	Myelodysplastic syndromes (MDS)	New listing
Erythropoietin	Chronic renal failure	Widened access
Lenalidomide	Multiple myeloma	New listing
Adalimumab	Adult-onset Still's disease	Widened access
Benzydamine hydrochloride	Oral mucositis in Cancer patients	Widened access
Bicalutamide	Prostate cancer	Widened access
Copper IUD	Contraceptive device	New listing (new presentation)
Deferiprone	Acquired red-cell aplasia	Widened access
Etanercept	Adult-onset Still's disease	Widened access
Gabapentin	Chronic kidney disease-associated pruritis	Widened access
Insulin Pump	Cystic-fibrosis related diabetes	Widened access
Insulin Pump consumables	Cystic-fibrosis related diabetes	Widened access
Isotretinoin	Nodulocystic acne	Widened access
Macrogol 3350	Constipation	Widened access
Midodrine	Orthostatic hypotension	Widened access

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Mycophenolate mofetil	Various	Widened access
Nicorandil	Angina pectoris	Widened access
Perhexilene maleate	Angina pectoris	Widened access
Deferasirox	Iron overload	New listing
Everolimus	Sub-ependymal giant cell astrocytoma (a type of Brain tumour)	New listing
Fingolimod and natalizumab (2)	Relapsing-remitting multiple sclerosis	New listings
Glycopyrronium	Chronic obstructive pulmonary disorder	New Listing
Indacaterol	Chronic obstructive pulmonary disorder	New listing
Nilotinib	Chronic myeloid leukaemia	New listing
Omalizumab	Severe allergic asthma	New listing
Rivastigmine patches	Dementia	New listing
Tobramycin	Cystic fibrosis	New listing (new presentation)
Azathioprine	Autoimmune conditions, inflammatory bowel disease, arthritis, and to prevent transplant rejection.	New listing (new presentation)
Imiquimod	Warts	Widened access
Zoledronic acid	Hypercalcaemia and cancer-related bone metastases	Widened access
Abiraterone	Advanced prostate cancer	New listing
Glyceryl trinitrate	Angina	New listing (new presentation)

Extract from Minister's Report for Quarter 4 – 2015/16

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Lidocaine 4% cream	Topical local anaesthetic	New listing
Aripiprazole	Schizophrenia or related psychoses; Autism spectrum disorder	Widened access
Tacrolimus	Steroid- resistant Nephrotic syndrome	Widened access
Prednisolone sodium phosphate – eye drops	Severe inflammation	New Listing
Renal multivitamins	Patients with CKD 5 or on dialysis	New listing
Icatibant	Hereditary Angioedema (rare disorders medicine)	New listing
Mesalazine	Ulcerative colitis and Crohn's disease in inflammatory bowel disease.	New listing (New presentation)
Enteral feed	Children with Crohn's disease	Widened access
Dimethyl fumarate	Relapse remitting Multiple Sclerosis	New listing
Teriflunomide	Relapse remitting Multiple Sclerosis	New listing
Valaciclovir	Infections caused by herpesvirus	Widened access
Budesonide with eformoterol	Asthma	Widened access
Glycopyrronium	Chronic obstructive pulmonary disease	Widened access
Fluticasone furoate with vilanterol	Asthma	New listing
Glycopyrronium with indacaterol	Chronic obstructive pulmonary disease	New listing
Tiotropium bromide with olodaterol	Chronic obstructive pulmonary disease	New listing
Umeclidinium	Chronic obstructive pulmonary disease	New listing
Umeclidinium with vilanterol	Chronic obstructive pulmonary disease	New listing
Cinacalcet	Parathyroid carcinoma, calciphylaxis	New listing
Galsulfase	Maroteaux-Lamy Syndrome	New listing
Siltuximab	Castleman's disease	New Listing

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Ledipasvir with sofosbuvir (Harvoni)	Chronic hepatitis C	New listing
Paritaprevir/ritonavir, ombitasvir, dasabuvir (Vikera Pak) +/- ribavirin	Chronic hepatitis C	New listing
Nivolumab	Unresectable metastatic melanoma	New listing
Sodium benzoate	Urea cycle disorders	New listing
Sodium phenylbutyrate	Urea cycle disorders	New listing
Pembrolizumab	Unresectable metastatic melanoma	New listing
Cholic Acid	Inborn errors of primary bile acid synthesis in the liver	New listing
Phenothrin	Head Lice	Access widening
Dolutegravir	HIV	New listing
Temozolomide	High grade gliomas (and from 1 Sept 16 well differentiated neuroendocrine tumours)	Access widening
Enteral feed	Dietary management of patients with low energy and/or low fluid requirements	Access widening
Idursulfase	Hunter Syndrome	New listing
Alglucosidase	Infantile Pompe disease	New listing
Laronidase	Hurler Syndrome	New listing
Betaine	Homocystinuria resulting from a dysfunction in one of the metabolic pathways	New listing

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Human papillomavirus vaccine	Prevention of premalignant genital (cervical, vulvar and vaginal) and anal lesions, cervical and anal cancers and genital warts	Access widening
Pirfenidone	Idiopathic pulmonary fibrosis	New listing
Pertuzumab	Metastatic breast cancer	New listing
Obinutuzumab	Chronic lymphocytic leukaemia	New listing
Dornase alfa	Children under the age of 5 years with cystic fibrosis	Access widening
Rituximab	Hairy cell leukaemia and re-treatment of chronic lymphocytic leukaemia	Access widening
Somatropin	Prader-Willi Syndrome patients under 2 years	Access widening
Oestradiol patches	Adverse effects associated with menopause and post-menopause, including signs and symptoms of oestrogen deficiency and prevention of postmenopausal osteoporosis.	Access widening
Influenza vaccine	Prevention of influenza (funded flu vaccine from their funded via GP or community pharmacy for people 65 years and over and pregnant women)	Access widening
Ledipasvir with sofosbuvir (Harvoni)	Chronic hepatitis C	Access widening

Extract from Minister's Report for Quarter 4 – 2016/17

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Celecoxib	Arthritic pain	New listing

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Antiretrovirals	HIV	Access widening
Azithromycin	Non-cystic fibrosis bronchiectasis in children	Access widening
Lamivudine	Prophylaxis of hepatitis B reactivation in immunocompromised patients receiving treatment for malignancy	Access widening
Roxithromycin – dispersible tablets	Dermatological and respiratory infections in children	New listing (new presentation)
Bendamustine	Chronic lymphocytic leukaemia (CLL) and indolent non-Hodgkin's lymphoma (iNHL)	New listing
Melatonin	Insomnia – secondary to neurodevelopmental disorders	New listing
Ferric carboxymaltose	Iron deficiency anaemia	New listing
Ciprofloxacin eye drops	Chronic suppurative otitis media	Access widening
Pemetrexed	Mesothelioma and non- small cell lung cancer	New listing
Dexamethasone ocular implant	Diabetic macular oedema	New listing (new presentation)
Methylnaltrexone	Opioid induced constipation	New listing
Ledipasvir with Sofosbuvir	Chronic Hepatitis C	Access widening
Tenofovir disoproxil fumarate	Hepatitis B, women of childbearing potential	Access widening
Paromomycin	Eradication of entamoeba histolytica carriage	Access widening
Zoledronic acid	Early breast cancer	Access widening
Cetuximab	Head and neck cancer	New listing
Pulmonary arterial hypertension treatments	pulmonary arterial hypertension	Access widening
Paediatric oral / enteral feed 1 kcal / ml	Faltering growth in fluid restricted or volume intolerant infants	New listing

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Emtricitabine with disoproxil fumarate	Pre-exposure prophylaxis of HIV (PrEP)	Access widening
Macrogol 3350	Constipation	Access widening
Varicella zoster vaccine	Prevention of shingles in patients aged 65 years, and two-year catch-up programme for those aged 66-80	New listing
Montelukast	Asthma, allergic rhinitis	Access widening
Gabapentin	Neuropathic Pain	Access widening
Pregabalin	Neuropathic pain	New listing
Aripiprazole	Schizophrenia, bipolar disorder	Access widening
Mercaptopurine	Acute lymphoblastic leukaemia	New listing (new presentation)
Hepatitis B Treatments	Hepatitis B	Access widening
Aflibercept	Wet age related macular degeneration, diabetic macular oedema	New Listing

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Denosumab	Severe established osteoporosis	New Listing
Eplerenone	Heart failure	New Listing
Rivaroxaban	Oral anticoagulant	Access Widening
Secukinumab	Severe chronic plaque psoriasis	New Listing
Sacubitril with valsartan	Chronic heart failure	New Listing
Ruxolitinib	Myelofibrosis	New Listing
Vildagliptin and vildagliptin with metformin	Type 2 diabetes mellitus	New Listing
Nintedanib	Idiopathic pulmonary fibrosis	New Listing
Candesartan	Hypertension	Access Widening
Tiotropium	Chronic obstructive respiratory disease	Access Widening
Eltrombopag	Idiopathic thrombocytopenic purpura and severe aplastic anaemia	Access Widening
Omalizumab	Chronic spontaneous urticaria and severe asthma	Access Widening
Tacrolimus	Non-transplant indications	Access Widening
Sapropterin dihydrochloride	Pregnant women with phenylketonuria	New listing
Liquid paraffin with white soft paraffin	Dry skin	Access Widening
Ceftriaxone	Suspected meningococcal disease	Access Widening
Glecaprevir with pibrentasvir	Chronic hepatitis C	New Listing
Taliglucerase alfa	Gaucher's disease	Access Widening
Alendronate sodium	Osteoporosis	Access Widening

Extract from Minister's Report for Quarter 4 – 2018/19

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Factor VIII and Factor IX (rurioctocog alfa and efmoroctocog alfa)	Extended Half-life treatments for haemophilia	New Listing

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Adalimumab	Chronic plaque psoriasis	AW
Diphtheria, tetanus and pertussis vaccine	Prevention of pertussis (whooping cough)	AW
Etanercept	Chronic plaque psoriasis	AW
Adalimumab	Behçets disease	AW
Bevacizumab	Recurrent respiratory papillomatosis	AW
HPV Vaccine	Recurrent respiratory papillomatosis	AW
Intravenous aspirin	Acute interventional cardiology and neuro-radiology procedures	NL
Rituximab	Neuromyelitis optica spectrum disorder	AW
Rituximab	Severe refractory myasthenia gravis	AW
Adalimumab	Severe or chronic ocular inflammation (uveitis)	AW
Dexrazoxane	Cardio protection in children and young adults treated with anthracycline chemotherapy	NL
Sildenafil	Erectile dysfunction due to spinal cord injury	AW
Adalimumab	Moderate to severe hidradenitis suppurativa	AW
Emtricitabine with tenofovir disoproxil	Pre-exposure prophylaxis	AW
Nicardipine hydrochloride	Hypertension or excessive ventricular overload or patient is awaiting cardiac surgery	AW
Ondansetron (Dispersible tablets)	Management of nausea and vomiting	AW
Varenicline	Smoking cessation	AW
Benzocaine with tetracaine	Topical local anaesthetic	NL
Clarithromycin oral liquid	Treatment of helicobacter pylori and prevention of infective endocarditis	AW
Levonorgestrel intrauterine system (LIUS) (Mirena and Jaydess)	Menorrhagia, endometriosis, endometrial hyperplasia and contraception	AW
Measles, Mumps, Rubella vaccine	Change in eligibility criteria changes to enable pharmacist vaccinators	AW

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Alectinib	ALK positive advanced non-small cell lung cancer	NL
Meningococcal ACWY vaccine	Prevention of meningococcal disease	AW
Methenamine (hexamine) hippurate Hepparate	Urinary tract infections	AW
Nivolumab and Pembrolizumab	Immune checkpoint inhibitor for advanced melanoma widened access	AW
Ocrelizumab	Relapsing remitting multiple sclerosis	NL
Pirfenidone	Idiopathic pulmonary fibrosis	AW
Trastuzumab emtansine	HER-2 positive metastatic breast cancer	NL
Venetoclax (with Rituximab)	Chronic lymphocytic leukaemia	NL
Apomorphine	Parkinson's disease provision of consumables free of charge to patients	AW
Nitrofurantoin	Lower urinary tract infections	AW
Olaparib	BRCA-mutated relapsed ovarian cancer	NL
Bortezomib	Multiple myeloma and amyloidosis	AW
Ivacaftor	Cystic fibrosis with specific mutations	NL
Rituximab	Cancer, blood and autoimmune conditions	AW
Ticagrelor	Prevention of thrombosis post neurological stenting	AW
Budesonide	Non-cirrhotic autoimmune hepatitis	AW
Etanercept	Undifferentiated spondyloarthritis	AW
Ruxolitinib	Myelofibrosis, lower-risk (Intermediate-1)	AW
Fulvestrant	Locally advanced or metastatic oestrogen receptor positive breast cancer	NL
Betamethasone dipropionate with calcipotriol foam spray	Treatment of psoriasis	NL
Lenalidomide	Newly diagnosed multiple myeloma post-autologous stem cell transplant	AW

Extract from Minister's Report for Quarter 4 – 2019/20

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Mepolizumab	Severe eosinophilic asthma	NL
Palbociclib	HR-positive, HER2-negative locally advanced or metastatic breast cancer	NL
Pancreatic enzymes modified-release granules	Treatment of pancreatic enzyme insufficiency in paediatric patients who are unable to swallow tablets or capsules	NL
Eptifibatide	Patients undergoing intra-cranial intervention	AW

Extract from Minister's Report for Quarter 4 – 2020/21

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Atomoxetine	Attention deficit hyperactivity disorder (ADHD)	AW
Infliximab	Less severe presentations of plaque psoriasis	AW
Mifepristone	Medical abortion	AW
Misoprostol	Medical abortion	AW
TNF-alpha inhibitors (infliximab, adalimumab, etanercept)	Pyoderma gangrenosum	AW
Enteral liquid peptide formula	Children with impaired gastrointestinal (GI) function	NL
High protein enteral feed 1.26 kcal/ml	Patients with elevated protein needs	NL
Lidocaine [lignocaine] 2% gel, urethral syringe	Rectal administration for intractable rectal pain/tenesmus	AW
Ticagrelor	Neurological stenting	AW
Methylphenidate Hydrochloride Extended Release	Attention deficit hyperactivity disorder (ADHD) first-line use.	AW
Adalimumab, etanercept and tocilizumab	Juvenile idiopathic arthritis	AW
Dornase alfa	Cystic fibrosis	AW
Emicizumab	Severe haemophilia A and high titre inhibitors	NL
Pimecrolimus cream	Atopic dermatitis of the eyelid	NL
Desmopressin	Treatment of central/cranial diabetes insipidus, nocturnal enuresis and nocturia	AW
Empagliflozin (with and without metformin)	People with type 2 diabetes who are at high risk of heart and kidney complications	NL
Febuxostat	Prevention of tumour lysis syndrome	AW
Sirolimus	Lymphovascular malformations and tuberous sclerosis complex complications	AW
Valganciclovir	Cytomegalovirus prophylaxis and treatment in transplant patients	AW
Multiple Sclerosis Treatments (multiple medicines)	Multiple sclerosis	AW
Nitrofurantoin	Urinary-tract infections	NL
Rituximab	Membranous nephropathy	AW
Latanoprost with timolol	Raised intra-ocular pressure (glaucoma) in patients not adequately responding to	NL

Extract from Minister's Report for Quarter 4 – 2020/21

Pharmaceutical (number of chemicals)	Used to treat	Decision type
	monotherapy	
Ethinylestradiol with desogestrel	Oral contraceptive	AW
Secukinumab	Psoriatic arthritis and ankylosing spondylitis	AW
Bendamustine	Relapsed or refractory Hodgkin's Lymphoma	AW
Carglumic acid	Hyperammonaemia arising from severe organic acidaemia	NL
Coenzyme Q10	Treating inborn errors of metabolism responsive to Coenzyme Q10 supplementation	NL
Levocarnitine	Treating inborn errors of metabolism responsive to Levocarnitine supplementation	NL
Riboflavin	Treating inborn errors of metabolism responsive to Riboflavin supplementation	NL
Arginine	Treating inborn errors of metabolism responsive to supplementation	NL
Taurine	Treating specific mitochondrial disorders responsive to supplementation	NL

1. Excludes temporary access widenings due to COVID-19

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Sodium picosulfate	Paediatric patients with constipation	NL
Oral feed (powder)	Diabetes	AW
Meningococcal B multicomponent vaccine	Meningococcal ACWY vaccinations	NL
Amino acid formula	Infant formula	NL
Rituximab (Riximyo brand)	Adults with B-cell ALL	AW
Octreotide	Pre-operative treatment in patients with acromegaly prior to pituitary surgery	AW
Dulaglutide	People with type 2 diabetes who are at high risk of heart and kidney complications	NL
Clarithromycin	Treatment of helicobacter pylori	AW
Tacrolimus	Atopic dermatitis	NL
Rosuvastatin	High Cholesterol	NL
Rituximab (Riximyo brand)	Patient requires desensitisation prior to transplant	AW
Adalimumab	Crohn's disease (dose increase)	AW
Adalimumab	Ulcerative colitis first line	AW
Adalimumab	Undifferentiated spondyloarthritis first line	AW
Adalimumab	Behcet's disease first line	AW
Adalimumab	Inflammatory bowel disease associated arthritis	AW
Immunosuppressants (2 medicines: adalimumab and etanercept)	Rheumatoid arthritis	AW
Vigabatrin	Tuberous sclerosis complex	AW
Rituximab (Riximyo brand)	Pemphigus	AW
Zoledronic Acid	Symptomatic Hypercalcaemia	AW
Zoledronic Acid	Early Breast Cancer	AW
Zoledronic Acid	Prevention of Bone Loss Following Spinal Cord Injury	AW

COVID-19 related investments

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Tocilizumab	COVID-19	AW
Upadacitinib	Rheumatoid Arthritis	NL
Molnupiravir	COVID-19	NL
Nirmatrelvir with ritonavir	COVID-19	NL
Casirivimab and imdevimab	COVID-19	NL
Baricitinib	COVID-19	NL
Remdesivir	COVID-19	AW
Influenza Vaccine	Influenza Vaccination	AW
Antiviral Treatments (paxlovid, molnupiravir and remdesivir again)	COVID-19	AW
Palivizumab	RSV	NL

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Gemtuzumab ozogamicin	Acute myeloid leukaemia	NL
Nitrofurantoin	Urinary tract infections	AW
Emtricitabine with tenofovir disoproxil	Pre-exposure prophylaxis (PrEP) of human immunodeficiency virus (HIV)	AW
Antiretrovirals	Post-exposure prophylaxis of HIV	AW
Imiglucerase	Gaucher disease	AW
Multiple sclerosis	Multiple sclerosis	AW
Influenza vaccine	Prevention of influenza – severe mental health and addiction	AW
Trastuzumab emtansine	Early breast cancer	AW
Azacitidine	Myelodysplastic syndromes and acute myeloid leukaemia	AW
Durvalumab	Lung cancer	NL
Olaparib	Ovarian cancer	AW
Benralizumab	Severe eosinophilic asthma	NL
Obinutuzumab	Relapsed/refractory marginal zone or follicular lymphoma	AW
Tetrobromophenol	Nephrotic syndrome	AW
Mepolizumab	Severe eosinophilic asthma	AW
Sodium hydroxide	Diabetic toenail ablation procedures	NL
Mifepristone	Early medical abortion	AW
Copper chloride injection	People in hospital with major burns	NL
Ibrutinib	Relapsed/refractory chronic lymphocytic leukaemia	NL
Paliperidone palmitate	Schizophrenia	NL
Ramipril	High blood pressure, heart failure and kidney failure	NL
Selenium	People in hospital with major burns	NL
Tolvaptan	Autosomal dominant polycystic kidney disease	NL
Brentuximab vedotin	Relapsed/refractory Hodgkin and anaplastic large cell lymphoma	NL
Cinacalcet	Hyperparathyroidism	AW
Pneumococcal (PCV13) conjugate vaccine	Immunisation against pneumococcal disease	AW
Progesterone	Hormone therapy	AW
Nusinersen	Spinal muscular atrophy	NL
Cyclizine injection	Nausea and vomiting	AW
Vedolizumab	Inflammatory bowel disease	NL
Adrenaline autoinjectors	Anaphylaxis	NL

Extract from Minister's Report for Quarter 4 – 2022/23

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Ustekinumab	Inflammatory bowel disease	NL
Infliximab	Inflammatory bowel disease-associated arthritis	AW
Zoledronic acid	Osteoporosis, Paget's disease, hypercalcaemia, breast cancer and bone metastases	AW
Meningococcal B vaccine	Prevention of Meningococcal disease in children up to 12 months of age, and people aged 13 to 25 years in close-living situations	AW
Pembrolizumab	Non-small cell lung cancer	AW
Atezolizumab	Non-small cell lung cancer	NL
Elexacaftor with tezacaftor and ivacaftor	Cystic fibrosis	NL
Vinorelbine capsules	Cancer - solid tumours (primarily breast and lung)	NL
Risdiplam	Spinal muscular atrophy	NL
Meningococcal ACWY and B multicomponent vaccine	Prevention of Meningococcal disease in people aged 13 to 25 years in youth justice residences	AW
Copper tablets	Moderate to severe burns	NL

1. Excludes temporary access widenings due to COVID-19.

CPB investments not related to COVID-19 for implementation in 2023/24

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Rituximab	IgG4-Related Disease	AW
Bedaquiline	Multi-drug resistant tuberculosis	NL
Linezolid	Multi-drug resistant tuberculosis	AW
Candesartan with hydrochlorothiazide	Hypertension	NL
Tacrolimus	Children with nephrotic syndrome	AW
Emicizumab	Severe haemophilia without inhibitors	AW
Ocrelizumab	Primary progressive multiple sclerosis	AW
Alprostadil	Erectile dysfunction for penile Doppler ultrasound	NL
Temozolomide	Gliomas	AW
Ezetimibe	High cholesterol	AW
Ezetimibe with simvastatin	High cholesterol	AW
Trastuzumab	Gastric, gastro-oesophageal junction and oesophageal cancer	AW
Aripiprazole	Schizophrenia & other mood disorders	NL
Special Food Supplements (Cortex)	Phenylketonuria and other inborn errors of metabolism	NL
Special Food Supplements (Vitaflo)	Phenylketonuria and other inborn errors of metabolism	NL
Lidocaine 10% injection	Palliative care	NL
Testosterone	Hormone replacement therapy	NL
Diphtheria, tetanus, pertussis and polio vaccine (Infanrix IPV)	Immunisation against diphtheria, tetanus, pertussis and polio	WA
Diphtheria, tetanus, pertussis, polio, hepatitis B and haemophilus influenzae type B vaccine (Infanrix Hexa)	Immunisation against diphtheria, tetanus, pertussis, polio, hepatitis B and haemophilus influenzae type B	WA
Haemophilus influenzae type B vaccine (Hiberix)	Immunisation against haemophilus influenzae type B	WA
Pneumococcal (PCV13) conjugate vaccine (Prevenar 13)	Immunisation against pneumococcal disease	WA
Rotavirus oral vaccine (Rotarix)	Immunisation against rotavirus	WA
Varicella vaccine [Chickenpox vaccine] (Varivax)	Immunisation against varicella (chickenpox)	WA
Niraparib	Ovarian cancer	NL
Fluticasone furoate with umeclidinium and vilanterol inhaler (Trelegy Ellipta)	COPD	NL
Dolutegravir with lamivudine	HIV	NL
Mepolizumab	Relapsed or refractory eosinophilic granulomatosis with	WA

Pharmaceutical (number of chemicals)	Used to treat	Decision type
	polyangiitis (EGPA)	
Trientine	Wilson disease	NL

CPB COVID-19 related investments for implementation in 2023/24

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Nirmatrelvir with ritonavir, molnupiravir and remdesivir	COVID-19	AW
Nirmatrelvir with ritonavir	COVID-19	PO
Remdesivir	COVID-19	PO
Nirmatrelvir with ritonavir	COVID-19	PO
Raxtozinameran (Pfizer COVID-19 vaccine, Comirnaty)	COVID-19	APA

Extract from Minister's Report for Quarter 3 – 2024/25

Please note – this table covers new listings and access widenings to 31 March 2025 for the 2024/25 financial year.

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Ribociclib	Breast cancer (HR-positive, HER2-negative)	NL
Midostaurin	Acute myeloid leukaemia (FLT3-mutated)	NL
Varicella zoster (shingles) vaccines (Shingrix)	Prevention of shingles in immunocompromised people	AW
Levetiracetam injection	Seizures in palliative care	NL
CDK4 inhibitors	Breast cancer (HR-positive, HER2-negative)	AW
Lenalidomide	Multiple myeloma, myelodysplastic syndrome, plasma cell dyscrasia not including Waldenström macroglobulinemia	AW
Pomalidomide	Relapsed or refractory multiple myeloma, relapsed or refractory plasma cell dyscrasia not including Waldenström macroglobulinemia	NL
Diphtheria, tetanus, pertussis, polio, hepatitis B and haemophilus influenzae type B vaccine	Immunisation against diphtheria, tetanus, pertussis, polio, hepatitis B and haemophilus influenzae type B - additional doses for (re-)immunisation for children and young people aged between 10 and 18 who are patients post haematopoietic stem cell transplantation, or chemotherapy; pre or post splenectomy; pre- or post solid organ transplant, renal dialysis and other severely immunosuppressive regimens	AW
Nutricia supplements	Phenylketonuria and other inherited metabolic diseases	NL
Pembrolizumab	Triple negative breast cancer	AW
Pembrolizumab	Recurrent or metastatic head and neck squamous cell carcinoma (head and neck cancer)	AW
Pembrolizumab	Unresectable or metastatic colorectal (bowel) cancer - first line	AW
Pembrolizumab	Unresectable or metastatic colorectal (bowel) cancer - second line	AW
Pembrolizumab	Advanced urothelial carcinoma (bladder cancer)	AW
Pembrolizumab	Relapsed/refractory Hodgkin Lymphoma	AW
Posaconazole	Prevention of invasive fungal infections (IFI) for those at high risk of severe fungal infection	AW
Voriconazole	Prevention of invasive fungal infections (IFI) for those at high risk of severe fungal infection	AW
Continuous glucose monitors	Type 1 diabetes	NL
Insulin pumps	Type 1 diabetes	AW
Aripiprazole depot	Schizophrenia and other psychotic disorders	AW
Ferric carboxymaltose	Iron deficiency anaemia in people with chronic inflammatory disease	AW

Pharmaceutical (number of chemicals)	Used to treat	Decision type
Methylnatrexone bromide	Opioid induced constipation for people in hospital	AW
Adalimumab	Severe, chronic, localised genital or flexural plaque psoriasis	AW
Etanercept	Severe, chronic, localised genital or flexural plaque psoriasis	AW
Secukinumab	Severe, chronic, localised genital or flexural plaque psoriasis	AW
Infliximab	Severe, chronic, localised genital or flexural plaque psoriasis	AW
Fosfomycin	Uncomplicated urinary tract infections	NL
Nivolumab	Second line treatment of advanced renal cell carcinoma (kidney cancer)	AW
Oestradiol gel	Menopause, Gender Affirming Hormone Therapy, osteoporosis, premature ovarian insufficiency	NL
Cetuximab	Metastatic colorectal cancer - first line	AW
Cetuximab	Metastatic colorectal cancer - second line	AW
Bendamustine hydrochloride	Relapsed or refractory chronic lymphocytic leukaemia	AW
Pemetrexed	Any cancer	AW
Lisdexamfetamine dimesilate	ADHD	NL
Beta-hCG low sensitivity urine test kit	Check medical abortion	NL
Empagliflozin	Chronic heart failure with reduced ejection fraction	AW
Lenvatinib	Differentiated thyroid cancer	NL
Lenvatinib	Unresectable hepatocellular carcinoma	NL
Lenvatinib with everolimus	Metastatic renal cell carcinoma	NL
Methylphenidate hydrochloride	Attention deficit hyperactivity disorder (ADHD) and narcolepsy	AW
Methylphenidate hydrochloride extended-release	Attention deficit hyperactivity disorder (ADHD) and narcolepsy	AW
Dexamfetamine sulfate	Attention deficit hyperactivity disorder (ADHD) and narcolepsy	AW
Modafinil	Narcolepsy	AW
Osimertinib	Non-small cell lung cancer - first line	NL
Osimertinib	Non-small cell lung cancer - second line	NL
Trastuzumab deruxtecan	HER2 positive metastatic breast cancer	NL
Palivizumab	Prevention of severe illnesses caused by respiratory syncytial virus (RSV) in infants and young children at high risk of RSV	NL
Budesonide with glycopyrronium and eformoterol	Chronic obstructive pulmonary disease (COPD)	NL
Econazole nitrate	Fungal infections	NL
Fexofenadine hydrochloride Tab 180	Hay fever and hives	NL

Pharmaceutical (number of chemicals)	Used to treat	Decision type
mg		
Levodopa with carbidopa and entacapone	Parkinson's disease	NL
Sunitinib	Metastatic renal cell cancer	AW
Pazopanib	Metastatic renal cell cancer	AW
Lanreotide	Neuroendocrine cancers	NL
Lanreotide	Malignant bowel obstruction	AW
Lanreotide	Growth disorders	AW
Denosumab (Xgeva)	Hypercalcaemia of malignancy	NL
Denosumab (Prolia)	Osteoporosis	AW
Bevacizumab	Ovarian cancer	AW
Bevacizumab with atezolizumab	Liver cancer	AW
Inotuzumab ozogamicin	Relapsed or refractory B-cell acute lymphoblastic leukaemia	NL
Crizotinib	ROS1 mutated locally advanced or metastatic non-small cell lung cancer	NL
Ceftazidime with avibactam	Infections caused by carbapenem-resistant Enterobacteriaceae (CRE)	NL
Axitinib	Second line treatment of kidney cancer	NL
Ursodeoxycholic acid	Sinusoidal obstruction syndrome	AW
Nivolumab with ipilimumab	Metastatic kidney cancer - first line	NL
Sunitinib	Metastatic kidney cancer - second line	AW
Desogestrel	Contraception	NL
Tacrolimus	Induction therapy for organ transplants	AW
Upadacitinib	Atopic dermatitis	AW
Upadacitinib	Crohn's disease	AW
Upadacitinib	Ulcerative colitis	AW
Upadacitinib	Rheumatoid arthritis	AW
Venetoclax	Acute myeloid leukaemia, chronic lymphocytic leukaemia	AW
Azacitidine	Acute myeloid leukaemia	AW
Ibrutinib	Chronic lymphocytic leukaemia	AW